

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB073024\
Data File : FB030850.D
Signal(s) : FID2B.CH
Acq On : 31 Jul 2024 00:20
Sample : P3390-07
Misc : 1 PPB WATER LOD
ALS Vial : 16 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB073024.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.706	4.554	4.813	PV	357	26996	11.65%	7.173%
2	7.424	7.416	7.540	VV	282	11469	4.95%	3.047%
3	7.749	7.676	7.820	PV	143	7287	3.15%	1.936%
4	7.886	7.861	7.952	VV	168	5509	2.38%	1.464%
5	8.788	8.595	8.929	BV	4215	231671	100.00%	61.557%
6	10.618	10.525	10.717	VV	626	29023	12.53%	7.712%
7	13.051	12.958	13.118	PV	209	8817	3.81%	2.343%
8	13.187	13.118	13.255	VV	406	16609	7.17%	4.413%
9	13.914	13.797	14.005	PV	402	19452	8.40%	5.169%
10	16.188	16.096	16.272	PV	457	19521	8.43%	5.187%

Sum of corrected areas: 376354

FB073024.M Wed Jul 31 07:39:07 2024