

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB073024\
Data File : FB030851.D
Signal(s) : FID2B.CH
Acq On : 31 Jul 2024 00:59
Sample : P3390-07
Misc : 4 PPB WATER LOD
ALS Vial : 17 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB073024.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.704	4.564	4.820	PV	1286	94601	41.62%	11.201%
2	7.418	7.221	7.580	PV	1081	88496	38.93%	10.478%
3	7.749	7.635	7.815	BV	602	32334	14.23%	3.829%
4	7.885	7.815	7.991	VV	751	38367	16.88%	4.543%
5	8.789	8.658	8.951	VV	4114	227302	100.00%	26.914%
6	10.617	10.527	10.739	VV	2476	112029	49.29%	13.265%
7	13.056	12.959	13.114	VV	818	35896	15.79%	4.250%
8	13.186	13.114	13.352	VV	1598	71510	31.46%	8.467%
9	13.912	13.772	14.009	PV	1547	70241	30.90%	8.317%
10	16.187	16.077	16.308	BV	1718	73779	32.46%	8.736%

Sum of corrected areas: 844555

FB073024.M Wed Jul 31 07:39:54 2024