

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB073024\
Data File : FB030852.D
Signal(s) : FID2B.CH
Acq On : 31 Jul 2024 1:38
Sample : P3390-08
Misc : 5 PPB WATER LOQ
ALS Vial : 18 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB073024.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.707	4.509	4.827	BV	1853	139074	69.08%	12.792%
2	7.415	7.230	7.586	PV	1563	131629	65.38%	12.108%
3	7.750	7.649	7.817	VV	866	47118	23.40%	4.334%
4	7.883	7.817	7.993	VV	1082	54135	26.89%	4.979%
5	8.789	8.638	8.921	PV	3661	201331	100.00%	18.519%
6	10.617	10.518	10.738	VV	3544	161631	80.28%	14.867%
7	13.053	12.952	13.113	VV	1143	50422	25.04%	4.638%
8	13.185	13.113	13.321	VV	2274	100743	50.04%	9.267%
9	13.912	13.817	14.012	VV	2212	99276	49.31%	9.132%
10	16.187	16.069	16.327	VV	2385	101804	50.57%	9.364%

Sum of corrected areas: 1087163

FB073024.M Wed Jul 31 07:40:30 2024