

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB080222\
Data File : FB027783.D
Signal(s) : FID2B.CH
Acq On : 2 Aug 2022 13:32
Sample : BSF0802W2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.523	4.865	BV	6854	544227	80.92%	13.776%
2	7.434	7.214	7.634	PV	6932	604058	89.82%	15.290%
3	7.755	7.634	7.823	VV	3661	198503	29.52%	5.025%
4	7.892	7.823	8.033	VV	4602	233936	34.78%	5.921%
5	8.797	8.668	8.988	BV	5090	279004	41.48%	7.062%
6	10.625	10.449	10.919	BV	14702	672548	100.00%	17.024%
7	13.062	12.923	13.123	BV	4813	208124	30.95%	5.268%
8	13.195	13.123	13.385	VV	9445	415466	61.77%	10.516%
9	13.922	13.572	14.034	BV	9077	404324	60.12%	10.234%
10	16.197	16.088	16.352	PBA	9387	390465	58.06%	9.884%

Sum of corrected areas: 3950654

FB071122.M Wed Aug 03 10:48:40 2022