

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB080222\  
Data File : FB027786.D  
Signal(s) : FID2B.CH  
Acq On : 2 Aug 2022 15:29  
Sample : N3980-08  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB071122.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.719       | 4.546        | 4.845      | BV       | 1601           | 127625       | 42.79%         | 9.336%        |
| 2         | 6.813       | 6.565        | 7.001      | VV       | 2548           | 252710       | 84.72%         | 18.487%       |
| 3         | 7.433       | 7.234        | 7.638      | BV       | 1571           | 135656       | 45.48%         | 9.924%        |
| 4         | 7.752       | 7.638        | 7.825      | PV       | 832            | 44519        | 14.93%         | 3.257%        |
| 5         | 7.894       | 7.825        | 7.997      | VV       | 1058           | 53229        | 17.85%         | 3.894%        |
| 6         | 8.799       | 8.665        | 8.938      | PV       | 5446           | 298271       | 100.00%        | 21.820%       |
| 7         | 10.628      | 10.526       | 10.749     | VV       | 3478           | 157560       | 52.82%         | 11.526%       |
| 8         | 13.197      | 13.124       | 13.349     | VV       | 2287           | 101445       | 34.01%         | 7.421%        |
| 9         | 13.925      | 13.802       | 14.045     | PV       | 2185           | 98682        | 33.08%         | 7.219%        |
| 10        | 16.200      | 16.102       | 16.352     | VBA      | 2288           | 97255        | 32.61%         | 7.115%        |

Sum of corrected areas: 1366953

FB071122.M Wed Aug 03 10:52:10 2022