

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB080322\
Data File : FB027797.D
Signal(s) : FID2B.CH
Acq On : 3 Aug 2022 11:19
Sample : BSF0803W1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.534	4.851	PV	7262	560189	90.20%	14.952%
2	7.428	7.204	7.628	PV	6805	584594	94.13%	15.603%
3	7.753	7.628	7.822	VV	3565	193615	31.18%	5.168%
4	7.890	7.822	8.009	VV	4199	213847	34.43%	5.708%
5	8.794	8.543	8.935	PV	4285	234232	37.72%	6.252%
6	10.623	10.510	10.755	VV	13720	621052	100.00%	16.576%
7	13.059	12.820	13.121	BV	4488	195848	31.53%	5.227%
8	13.192	13.121	13.337	VV	8854	387883	62.46%	10.353%
9	13.919	13.756	14.034	BV	8479	375960	60.54%	10.035%
10	16.194	16.082	16.311	PV	9086	379446	61.10%	10.128%

Sum of corrected areas: 3746666

FB071122.M Thu Aug 04 10:59:46 2022