

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB080322\
Data File : FB027798.D
Signal(s) : FID2B.CH
Acq On : 3 Aug 2022 11:56
Sample : BSF0803W2
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB071122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.719	4.530	4.858	PV	6916	565946	86.18%	14.122%
2	7.433	7.193	7.639	PV	7518	656672	100.00%	16.386%
3	7.753	7.651	7.819	VV	3244	175155	26.67%	4.371%
4	7.889	7.819	8.036	VV	4382	223535	34.04%	5.578%
5	8.795	8.662	8.960	PV	3518	194312	29.59%	4.849%
6	10.623	10.494	10.794	PV	14092	642940	97.91%	16.043%
7	13.060	12.879	13.121	BV	4884	212091	32.30%	5.292%
8	13.193	13.121	13.352	VV	9825	432340	65.84%	10.788%
9	13.920	13.800	14.059	BV	9868	432609	65.88%	10.795%
10	16.195	16.082	16.313	PV	11316	471909	71.86%	11.776%

Sum of corrected areas: 4007508

FB071122.M Thu Aug 04 11:00:46 2022