

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB080322\  
Data File : FB027811.D  
Signal(s) : FID2B.CH  
Acq On : 3 Aug 2022 20:09  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 17 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB071122.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.713       | 4.529        | 4.850      | PV       | 7273           | 562454       | 86.51%         | 14.633%       |
| 2         | 7.433       | 7.245        | 7.635      | VV       | 6914           | 595514       | 91.59%         | 15.493%       |
| 3         | 7.755       | 7.635        | 7.823      | VV       | 3647           | 197677       | 30.40%         | 5.143%        |
| 4         | 7.892       | 7.823        | 8.041      | VV       | 4427           | 225932       | 34.75%         | 5.878%        |
| 5         | 8.797       | 8.612        | 9.007      | BV       | 4237           | 233867       | 35.97%         | 6.084%        |
| 6         | 10.626      | 10.512       | 10.757     | VV       | 14380          | 650166       | 100.00%        | 16.915%       |
| 7         | 13.063      | 12.829       | 13.124     | BV       | 4706           | 205787       | 31.65%         | 5.354%        |
| 8         | 13.196      | 13.124       | 13.402     | VV       | 9234           | 405734       | 62.40%         | 10.556%       |
| 9         | 13.923      | 13.564       | 14.042     | PV       | 8825           | 389157       | 59.85%         | 10.124%       |
| 10        | 16.198      | 16.082       | 16.352     | PBA      | 9056           | 377473       | 58.06%         | 9.820%        |

Sum of corrected areas: 3843760

FB071122.M Thu Aug 04 11:14:55 2022