

Instrument :
FID_B
ClientSampleId :
TWP03MS

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
8/6/2021 3:13:17 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB080521\
Data File : FB026123.D
Signal(s) : FID2B.CH
Acq On : 5 Aug 2021 13:33
Sample : M3281-01MS
Misc : 5.06G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB072721.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.831	4.675	4.953	BV	3524	239605	2.72%	0.363%
2	5.023	4.953	5.100	VV	1254	68480	0.78%	0.104%
3	5.151	5.100	5.319	VV	633	41741	0.47%	0.063%
4	5.473	5.319	5.638	PV	2092	126527	1.44%	0.192%
5	5.672	5.638	5.696	PV	24	570	0.01%	0.001%
6	6.059	5.696	6.223	VV	608	65567	0.75%	0.099%
7	6.465	6.223	6.602	VV	1165	89265	1.01%	0.135%
8	6.615	6.602	6.639	VV	39	268	0.00%	0.000%
9	6.668	6.639	6.681	PV	26	288	0.00%	0.000%
10	6.819	6.681	6.910	VV	332	24686	0.28%	0.037%
11	6.980	6.910	7.019	VV	296	16057	0.18%	0.024%
12	7.151	7.019	7.323	VV	2027	199884	2.27%	0.303%
13	7.493	7.323	7.642	VV	5161	485178	5.51%	0.736%
14	7.824	7.642	7.869	VV	3204	248914	2.83%	0.378%
15	7.947	7.869	8.062	VV	6424	371173	4.22%	0.563%
16	8.110	8.062	8.188	VV	90	4057	0.05%	0.006%
17	8.304	8.188	8.404	PV	655	39103	0.44%	0.059%
18	8.635	8.404	8.742	VV	3965	405634	4.61%	0.615%
19	8.900	8.742	9.010	VV	14616	1236897	14.06%	1.876%
20	9.051	9.010	9.169	VV	3788	279758	3.18%	0.424%
21	9.275	9.169	9.341	VV	3854	311226	3.54%	0.472%
22	9.426	9.341	9.586	VV	4594	453834	5.16%	0.688%
23	9.733	9.586	9.982	VV	6094	786310	8.94%	1.193%
24	10.235	9.982	10.358	PV	21707	1523861	17.32%	2.311%
25	10.536	10.358	10.595	VV	12731	971946	11.04%	1.474%
26	10.651	10.595	10.718	VV	14303	798306	9.07%	1.211%
27	10.824	10.718	10.912	VV	23455	1695084	19.26%	2.571%
28	11.004	10.912	11.112	VV	17742	1505222	17.11%	2.283%
29	11.195	11.112	11.404	VV	16880	1560673	17.74%	2.367%
30	11.489	11.404	11.539	VV	5123	346150	3.93%	0.525%
31	11.778	11.539	11.982	VV	60210	6436214	73.14%	9.763%
32	12.089	11.982	12.236	VV	24426	1743349	19.81%	2.644%
33	12.353	12.236	12.467	VV	5039	406160	4.62%	0.616%
34	12.573	12.467	12.643	PV	2990	169451	1.93%	0.257%
35	12.784	12.643	12.913	VV	20887	1712272	19.46%	2.597%
36	13.036	12.913	13.249	VV	58245	4827044	54.85%	7.322%

rteres									
37	13.365	13.249	13.444	VV	23184	1586500	18.03%	2.407%	
38	13.558	13.444	13.686	VV	61919	4423865	50.27%	6.710%	
39	13.823	13.686	13.909	VV	50975	3778048	42.93%	5.731%	
40	13.942	13.909	14.009	VV	20652	923660	10.50%	1.401%	
41	14.114	14.009	14.254	VV	105123	6624310	75.28%	10.048%	
42	14.289	14.254	14.350	VV	6914	264076	3.00%	0.401%	
43	14.437	14.350	14.514	PV	15414	849300	9.65%	1.288%	
44	14.550	14.514	14.619	VV	5487	222792	2.53%	0.338%	
45	14.712	14.619	14.755	PV	10141	466892	5.31%	0.708%	
46	14.849	14.755	14.985	VV	40510	2903320	32.99%	4.404%	
47	15.198	14.985	15.410	VV	57575	8799888	100.00%	13.348%	
48	15.603	15.410	15.732	VV	27166	3285853	37.34%	4.984%	
49	15.808	15.732	15.880	PV	27310	1154256	13.12%	1.751%	
50	15.951	15.880	16.002	PV	18447	740422	8.41%	1.123%	
51	16.050	16.002	16.113	VV	9777	402656	4.58%	0.611%	
52	16.213	16.113	16.250	PV	10242	308711	3.51%	0.468%	
Sum of corrected areas:							65925304		

Instrument :
FID_B
ClientSampleId :
TWP03MS

Manual Integrations
APPROVED

mohammad
8/6/2021 3:13:17 PM

FB072721.M Fri Aug 06 12:03:14 2021