

Instrument :
FID_B
ClientSampleId :
TWP03MSD

rteres

Area Percent Report

Manual Integrations
APPROVED

mohammad
8/6/2021 3:13:20 PM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB080521\
Data File : FB026124.D
Signal(s) : FID2B.CH
Acq On : 5 Aug 2021 14:08
Sample : M3281-01MSD
Misc : 5.03G/5.00 ML DI WATER
ALS Vial : 6 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB072721.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.847	4.675	4.958	BV	2779	193116	2.23%	0.286%
2	5.046	4.958	5.151	VV	3081	183675	2.12%	0.272%
3	5.163	5.151	5.318	VV	721	33709	0.39%	0.050%
4	5.486	5.318	5.638	PV	9989	593839	6.85%	0.881%
5	6.081	5.638	6.220	PV	574	57285	0.66%	0.085%
6	6.477	6.220	6.613	VV	1210	88414	1.02%	0.131%
7	6.842	6.613	6.913	PV	265	16616	0.19%	0.025%
8	7.000	6.913	7.013	VV	185	8691	0.10%	0.013%
9	7.165	7.013	7.332	VV	1930	180951	2.09%	0.268%
10	7.502	7.332	7.648	PV	4712	435832	5.03%	0.646%
11	7.836	7.648	7.873	VV	2828	217618	2.51%	0.323%
12	7.954	7.873	8.062	VV	5811	348145	4.02%	0.516%
13	8.324	8.062	8.394	VV	1213	128490	1.48%	0.191%
14	8.643	8.394	8.748	VV	5215	646480	7.46%	0.959%
15	8.909	8.748	9.015	VV	16146	1491353	17.20%	2.211%
16	9.061	9.015	9.170	VV	6134	497181	5.73%	0.737%
17	9.280	9.170	9.347	VV	6291	578762	6.67%	0.858%
18	9.428	9.347	9.596	VV	6562	731181	8.43%	1.084%
19	9.736	9.596	9.995	VV	6434	877522	10.12%	1.301%
20	10.239	9.995	10.362	PV	20147	1391259	16.04%	2.063%
21	10.539	10.362	10.601	VV	11303	851583	9.82%	1.263%
22	10.654	10.601	10.719	VV	11282	601414	6.94%	0.892%
23	10.828	10.719	10.915	VV	20351	1414853	16.32%	2.098%
24	11.007	10.915	11.114	VV	14702	1211580	13.97%	1.797%
25	11.197	11.114	11.402	VV	14426	1306784	15.07%	1.938%
26	11.495	11.402	11.541	VV	4993	337161	3.89%	0.500%
27	11.780	11.541	11.984	VV	55111	5864806	67.64%	8.696%
28	12.092	11.984	12.233	VV	21849	1598063	18.43%	2.370%
29	12.353	12.233	12.484	VV	5601	501012	5.78%	0.743%
30	12.572	12.484	12.638	PV	1815	87174	1.01%	0.129%
31	12.788	12.638	12.913	VV	19547	1671922	19.28%	2.479%
32	13.037	12.913	13.250	VV	54559	4764411	54.95%	7.065%
33	13.367	13.250	13.445	VV	21797	1562449	18.02%	2.317%
34	13.558	13.445	13.689	VV	55789	4097636	47.26%	6.076%
35	13.823	13.689	13.909	VV	44494	3235009	37.31%	4.797%
36	13.944	13.909	14.008	VV	16950	768690	8.87%	1.140%

					rters			
37	14.116	14.008	14.253	VV	96514	6542703	75.45%	9.702%
38	14.290	14.253	14.355	VV	15442	769998	8.88%	1.142%
39	14.433	14.355	14.620	VV	17799	1402502	16.17%	2.080%
40	14.855	14.620	15.014	PV	53769	5774271	66.59%	8.562%
41	15.201	15.014	15.412	VV	55576	8671043	100.00%	12.858%
42	15.604	15.412	15.730	VV	22121	2647750	30.54%	3.926%
43	15.809	15.730	15.878	PV	25359	1089442	12.56%	1.615%
44	15.953	15.878	16.001	VV	21593	972339	11.21%	1.442%
45	16.048	16.001	16.128	VV	14809	681866	7.86%	1.011%
46	16.209	16.128	16.252	PV	10002	312174	3.60%	0.463%
					Sum of corrected areas:	67438756		

Instrument :
FID_B
ClientSampleId :
TWP03MSD

Manual Integrations
APPROVED

mohammad
8/6/2021 3:13:20 PM

FB072721.M Fri Aug 06 12:03:31 2021