

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB080522\  
Data File : FB027841.D  
Signal(s) : FID2B.CH  
Acq On : 5 Aug 2022 14:02  
Sample : BSF0805S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB071122.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.717       | 4.526        | 4.866      | BV       | 7332           | 593435       | 83.31%         | 14.304%       |
| 2         | 7.436       | 7.250        | 7.639      | VV       | 7247           | 629752       | 88.41%         | 15.180%       |
| 3         | 7.754       | 7.639        | 7.821      | VV       | 3884           | 209486       | 29.41%         | 5.050%        |
| 4         | 7.892       | 7.821        | 8.033      | VV       | 4863           | 248599       | 34.90%         | 5.992%        |
| 5         | 8.796       | 8.628        | 9.004      | PV       | 4724           | 261472       | 36.71%         | 6.303%        |
| 6         | 10.624      | 10.514       | 10.753     | VV       | 15571          | 712307       | 100.00%        | 17.170%       |
| 7         | 13.061      | 12.942       | 13.123     | VV       | 5066           | 220925       | 31.02%         | 5.325%        |
| 8         | 13.194      | 13.123       | 13.394     | VV       | 9972           | 439961       | 61.77%         | 10.605%       |
| 9         | 13.921      | 13.675       | 14.036     | PV       | 9525           | 423332       | 59.43%         | 10.204%       |
| 10        | 16.196      | 16.077       | 16.316     | PV       | 9792           | 409332       | 57.47%         | 9.867%        |

Sum of corrected areas: 4148601

FB071122.M Mon Aug 08 10:30:32 2022