

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB080922\
Data File : FB027884.D
Signal(s) : FID2B.CH
Acq On : 9 Aug 2022 10:14
Sample : 20 GRO STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB080922.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.716	4.535	4.862	PV	7335	578818	83.54%	14.208%
2	7.433	7.189	7.642	PV	7204	622626	89.86%	15.284%
3	7.757	7.642	7.823	VV	3753	202249	29.19%	4.965%
4	7.892	7.823	8.022	VV	4851	246732	35.61%	6.056%
5	8.798	8.620	9.002	BV	4568	252247	36.41%	6.192%
6	10.626	10.517	10.764	VV	15317	692890	100.00%	17.008%
7	13.063	12.940	13.124	VV	5001	217308	31.36%	5.334%
8	13.195	13.124	13.380	VV	9861	433092	62.51%	10.631%
9	13.922	13.508	14.037	BV	9442	419609	60.56%	10.300%
10	16.197	16.069	16.352	PBA	9805	408267	58.92%	10.022%

Sum of corrected areas: 4073838

FB080922.M Tue Aug 09 14:18:08 2022