

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB081122\  
Data File : FB027895.D  
Signal(s) : FID2B.CH  
Acq On : 11 Aug 2022 13:11  
Sample : N4130-01MSD  
Misc : 5.08G/5.00 ML DI WATER  
ALS Vial : 8 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB080922.M  
Title :

Signal : FID2B.CH

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 4.707       | 4.504        | 4.859      | BV       | 5525           | 431723       | 66.04%         | 11.864%       |
| 2                       | 7.432       | 7.204        | 7.641      | VV       | 6010           | 538742       | 82.42%         | 14.805%       |
| 3                       | 7.751       | 7.641        | 7.818      | VV       | 3075           | 170453       | 26.08%         | 4.684%        |
| 4                       | 7.889       | 7.818        | 8.321      | VV       | 4302           | 252905       | 38.69%         | 6.950%        |
| 5                       | 8.795       | 8.601        | 9.103      | VV       | 1787           | 129861       | 19.87%         | 3.569%        |
| 6                       | 10.624      | 10.464       | 10.929     | VV       | 13355          | 653687       | 100.00%        | 17.963%       |
| 7                       | 11.165      | 11.138       | 11.230     | VV       | 162            | 8820         | 1.35%          | 0.242%        |
| 8                       | 11.764      | 11.703       | 11.800     | VV       | 196            | 10803        | 1.65%          | 0.297%        |
| 9                       | 13.062      | 12.835       | 13.122     | VV       | 4532           | 224288       | 34.31%         | 6.163%        |
| 10                      | 13.194      | 13.122       | 13.401     | VV       | 8733           | 407954       | 62.41%         | 11.210%       |
| 11                      | 13.921      | 13.670       | 14.034     | VV       | 8442           | 413004       | 63.18%         | 11.349%       |
| 12                      | 16.196      | 16.081       | 16.354     | VBA      | 8643           | 396799       | 60.70%         | 10.904%       |
| Sum of corrected areas: |             |              |            |          |                | 3639038      |                |               |

FB080922.M Fri Aug 12 10:19:01 2022