

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB081721\
Data File : FB026208.D
Signal(s) : FID2B.CH
Acq On : 17 Aug 2021 13:02
Sample : BSF0817S1
Misc : 5.02G\5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB081321.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.824	4.675	4.960	BV	9571	678790	81.32%	14.608%
2	7.493	7.275	7.684	BV	8441	704036	84.35%	15.152%
3	7.809	7.684	7.879	VV	5248	281551	33.73%	6.059%
4	7.947	7.879	8.132	VV	5820	294914	35.33%	6.347%
5	8.835	8.658	9.001	BB	5286	288917	34.61%	6.218%
6	10.648	10.515	10.871	BB	18467	834674	100.00%	17.963%
7	13.069	12.856	13.130	BV	5527	239819	28.73%	5.161%
8	13.202	13.130	13.359	VB	10606	464782	55.68%	10.003%
9	13.926	13.746	14.064	BB	9691	425169	50.94%	9.150%
10	16.195	16.062	16.300	BBA	10437	433981	51.99%	9.340%

Sum of corrected areas: 4646632

FB081321.M Wed Aug 18 11:18:51 2021