

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB081722\
Data File : FB027984.D
Signal(s) : FID2B.CH
Acq On : 17 Aug 2022 14:56
Sample : BSF0817S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB080922.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.713	4.503	4.857	PV	7627	599471	90.10%	15.242%
2	7.430	7.234	7.632	PV	7181	619456	93.10%	15.750%
3	7.753	7.632	7.820	VV	3706	200916	30.20%	5.109%
4	7.889	7.820	8.022	VV	4499	228601	34.36%	5.812%
5	8.794	8.595	8.963	BV	4012	220615	33.16%	5.609%
6	10.623	10.505	10.908	VV	14324	665345	100.00%	16.917%
7	13.060	12.857	13.121	BV	4669	203689	30.61%	5.179%
8	13.193	13.121	13.369	VV	9217	405987	61.02%	10.323%
9	13.919	13.655	14.033	BV	8881	393670	59.17%	10.009%
10	16.194	16.063	16.352	VBA	9448	395221	59.40%	10.049%

Sum of corrected areas: 3932970

FB080922.M Thu Aug 18 11:59:14 2022