

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB082120\
Data File : FB024776.D
Signal(s) : FID2B.CH
Acq On : 21 Aug 2020 10:35
Sample : BSF0821S1
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB081020.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.686	4.512	4.815	PV	10883	779457	72.96%	12.949%
2	7.414	7.201	7.637	PV	11090	926635	86.73%	15.394%
3	7.755	7.637	7.822	VV	5471	299650	28.05%	4.978%
4	7.889	7.822	8.021	VV	7016	363786	34.05%	6.044%
5	8.797	8.652	8.990	VV	7464	418691	39.19%	6.956%
6	10.628	10.495	10.807	PV	23223	1068355	100.00%	17.749%
7	13.068	12.934	13.130	BV	7721	337795	31.62%	5.612%
8	13.201	13.130	13.351	VV	14949	660555	61.83%	10.974%
9	13.929	13.774	14.055	BV	14280	636727	59.60%	10.578%
10	16.206	16.093	16.331	PV	12539	527655	49.39%	8.766%

Sum of corrected areas: 6019306

FB081020.M Mon Aug 24 10:19:18 2020