

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB082418\
Data File : FB017535.D
Signal(s) : FID2B.CH
Acq On : 24 Aug 2018 11:15
Sample : J4282-11MSD
Misc : 5.02g/5.00mL DI Water
ALS Vial : 7 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB082018.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.962	4.799	5.116	BV	5216	368809	90.76%	13.378%
2	5.158	5.116	5.197	VV	255	10291	2.53%	0.373%
3	5.212	5.197	5.367	VV	292	15683	3.86%	0.569%
4	5.639	5.484	5.777	BV	326	23597	5.81%	0.856%
5	7.726	7.558	7.908	PV	4258	344386	84.75%	12.492%
6	8.065	7.952	8.132	BV	1889	99654	24.52%	3.615%
7	8.205	8.132	8.356	VV	3250	166343	40.93%	6.034%
8	9.109	8.979	9.282	BV	3068	168793	41.54%	6.123%
9	10.245	10.125	10.435	PV	141	11675	2.87%	0.423%
10	10.747	10.580	10.839	BV	148	10490	2.58%	0.381%
11	10.959	10.839	11.119	PV	8993	406359	100.00%	14.740%
12	13.408	13.159	13.469	PV	3249	143246	35.25%	5.196%
13	13.541	13.469	13.670	VV	6629	292450	71.97%	10.608%
14	14.272	14.112	14.376	PV	7030	313809	77.22%	11.383%
15	14.456	14.376	14.575	VV	264	19408	4.78%	0.704%
16	15.406	15.330	15.532	PV	105	5708	1.40%	0.207%
17	15.873	15.825	15.970	VV	115	4253	1.05%	0.154%
18	16.315	16.215	16.383	PV	129	5803	1.43%	0.210%
19	16.555	16.434	16.682	VV	8339	346027	85.15%	12.552%
Sum of corrected areas:						2756783		

FB082018.M Fri Aug 24 11:38:51 2018