

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB082420\
Data File : FB024784.D
Signal(s) : FID2B.CH
Acq On : 24 Aug 2020 13:08
Sample : BSF0824S1
Misc : 5.00g/5.00ml DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB081020.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.689	4.527	4.820	VV	9977	715609	71.31%	12.932%
2	7.418	7.208	7.630	PV	9905	826449	82.35%	14.935%
3	7.757	7.630	7.824	VV	4903	267912	26.70%	4.842%
4	7.892	7.824	8.024	VV	6633	345573	34.43%	6.245%
5	8.799	8.658	9.008	PV	7344	409831	40.84%	7.406%
6	10.630	10.508	10.776	PV	21856	1003565	100.00%	18.136%
7	13.070	12.956	13.131	VV	6949	305150	30.41%	5.515%
8	13.203	13.131	13.357	VV	13638	605458	60.33%	10.942%
9	13.930	13.785	14.053	VV	13101	584612	58.25%	10.565%
10	16.208	16.107	16.338	VV	11202	469354	46.77%	8.482%

Sum of corrected areas: 5533513

FB081020.M Tue Aug 25 01:06:13 2020