

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB082823\  
Data File : FB030294.D  
Signal(s) : FID2B.CH  
Acq On : 28 Aug 2023 10:47  
Sample : BSF0828S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB082223.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.712       | 4.534        | 4.852      | BV       | 6269           | 493312       | 76.81%         | 12.858%       |
| 2         | 7.418       | 7.218        | 7.634      | BV       | 6981           | 594048       | 92.49%         | 15.484%       |
| 3         | 7.749       | 7.634        | 7.816      | VV       | 3112           | 170470       | 26.54%         | 4.443%        |
| 4         | 7.885       | 7.816        | 8.010      | VV       | 4277           | 218114       | 33.96%         | 5.685%        |
| 5         | 8.791       | 8.604        | 8.979      | BV       | 3689           | 204158       | 31.79%         | 5.322%        |
| 6         | 10.618      | 10.507       | 10.925     | VV       | 13909          | 642273       | 100.00%        | 16.741%       |
| 7         | 13.054      | 12.906       | 13.115     | VV       | 4805           | 209350       | 32.60%         | 5.457%        |
| 8         | 13.187      | 13.115       | 13.369     | VV       | 9665           | 426505       | 66.41%         | 11.117%       |
| 9         | 13.913      | 13.793       | 14.030     | PV       | 9709           | 430941       | 67.10%         | 11.233%       |
| 10        | 16.188      | 16.074       | 16.308     | PV       | 10703          | 447307       | 69.64%         | 11.659%       |

Sum of corrected areas: 3836479

FB082223.M Mon Aug 28 22:43:12 2023