

rteres

Instrument :

FID_B

ClientSampleId :

WC-PALM-SP-02-GRMS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB082922.M
 Data File : FB028055.D
 Signal(s) : FID2B.CH
 Acq On : 30 Aug 2022 2:30
 Sample : N4421-09MS
 Misc : 5.01G/5.00 ML DI WATER
 ALS Vial : 25 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/02/2022
 Supervised By :Ankita Jodhani 09/02/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB080922.M
 Title :

09/02/2022
 Supervised By :Ankita Jodhani

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max	% of total
1	4.560	4.520	4.567	BV	5	35	0.00%	0.000%
2	4.713	4.567	4.823	PV	1224	89827	2.21%	0.372%
3	5.211	5.194	5.225	PV	21	260	0.01%	0.001%
4	5.363	5.225	5.522	VV	1301	81965	2.02%	0.339%
5	5.555	5.522	5.570	VV	24	458	0.01%	0.002%
6	5.580	5.570	5.606	VV	13	200	0.00%	0.001%
7	5.627	5.606	5.656	VV	30	499	0.01%	0.002%
8	5.662	5.656	5.701	VV	23	430	0.01%	0.002%
9	5.720	5.701	5.749	PV	29	640	0.02%	0.003%
10	5.767	5.749	5.783	VV	32	486	0.01%	0.002%
11	5.794	5.783	5.804	VV	31	274	0.01%	0.001%
12	5.904	5.804	5.915	VV	73	3460	0.09%	0.014%
13	5.948	5.915	5.979	VV	95	3068	0.08%	0.013%
14	5.986	5.979	6.079	VV	86	3641	0.09%	0.015%
15	6.089	6.079	6.113	VV	49	830	0.02%	0.003%
16	6.126	6.113	6.148	VV	46	739	0.02%	0.003%
17	6.180	6.148	6.199	VV	47	989	0.02%	0.004%
18	6.207	6.199	6.214	VV	34	273	0.01%	0.001%
19	6.233	6.214	6.240	VV	44	599	0.01%	0.002%
20	6.309	6.240	6.491	VV	196	14864	0.37%	0.061%
21	6.502	6.491	6.532	VV	31	470	0.01%	0.002%
22	6.585	6.532	6.605	PV	23	430	0.01%	0.002%
23	6.614	6.605	6.627	VV	26	212	0.01%	0.001%
24	6.775	6.627	6.783	VV	129	6337	0.16%	0.026%
25	6.814	6.783	6.825	VV	139	3220	0.08%	0.013%
26	6.870	6.825	6.878	VV	151	4417	0.11%	0.018%
27	6.886	6.878	6.963	VV	146	5677	0.14%	0.023%
28	7.128	6.963	7.268	VV	389	42420	1.04%	0.175%
29	7.764	7.576	7.818	VV	852	71705	1.76%	0.297%
30	7.892	7.818	8.010	VV	1599	91009	2.24%	0.376%
31	8.076	8.010	8.094	VV	34	1104	0.03%	0.005%
32	8.255	8.094	8.359	VV	208	15644	0.38%	0.065%
33	8.583	8.359	8.711	VV	1278	128313	3.16%	0.531%
34	9.245	9.137	9.316	VV	999	72261	1.78%	0.299%
35	9.398	9.316	9.561	VV	966	101034	2.49%	0.418%
36	9.675	9.561	9.764	VV	1257	107688	2.65%	0.445%

37	9.783	9.764	9.945	VV	1002	54485	1.34%	0.225%
38	10.044	9.945	10.061	PV	210	8397		
39	10.505	10.329	10.572	VV	2892	224853		
40	10.630	10.572	10.697	VV	3151	167304		
41	11.471	11.371	11.530	VV	1484	100836		
42	11.759	11.530	11.847	VV	11552	1217246		
43	11.865	11.847	11.972	VV	6638	307236	7.56%	1.271%
44	12.080	11.972	12.223	VV	7646	544985	13.41%	2.254%
45	13.029	12.909	13.230	VV	17269	1478933	36.38%	6.117%
46	13.550	13.441	13.670	VV	25543	1645661	40.48%	6.806%
47	13.820	13.670	13.904	VV	19587	1481888	36.45%	6.129%
48	13.933	13.904	14.003	VV	7687	339927	8.36%	1.406%
49	14.112	14.003	14.341	VV	37179	2869369	70.59%	11.868%
50	14.433	14.341	14.522	VV	7446	394703	9.71%	1.632%
51	14.570	14.522	14.609	VV	735	27759	0.68%	0.115%
52	14.710	14.609	14.757	VV	4983	250485	6.16%	1.036%
53	14.845	14.757	14.962	VV	15998	1096893	26.98%	4.537%
54	15.188	14.962	15.393	VV	25048	4065028	100.00%	16.813%
55	15.514	15.393	15.740	VV	39071	3611878	88.85%	14.939%
56	15.810	15.740	15.878	VV	14862	847795	20.86%	3.506%
57	16.208	16.109	16.252	VV	22180	1330123	32.72%	5.501%
58	16.301	16.252	16.354	VBA	21489	1256680	30.91%	5.198%
Sum of corrected areas:						24177946		

Instrument :
FID_B
ClientSampleId :
WC-PALM-SP-02-GRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/02/2022
Supervised By :Ankita Jodhani 09/02/2022

FB080922.M Tue Aug 30 08:54:13 2022