

Instrument :

FID_B

ClientSampleId :

SASP2-T-5-(25-35)MS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/02/2022

Supervised By :Ankita Jodhani 09/02/2022

rteres

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB09012
 Data File : FB028088.D
 Signal(s) : FID2B.CH
 Acq On : 2 Sep 2022 00:42
 Sample : N4466-03MS 50X
 Misc : 5.03G/5.00 ML ME0H
 ALS Vial : 26 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB080922.M

Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.705	4.504	4.834	BV	6639	498653	73.76%	11.486%
2	5.191	5.184	5.199	PV	9	31	0.00%	0.001%
3	5.487	5.479	5.494	VV	17	117	0.02%	0.003%
4	5.502	5.494	5.534	VV	25	303	0.04%	0.007%
5	5.543	5.534	5.566	VV	25	247	0.04%	0.006%
6	5.579	5.566	5.599	VV	15	164	0.02%	0.004%
7	5.609	5.599	5.648	PV	26	477	0.07%	0.011%
8	5.658	5.648	5.703	VV	13	353	0.05%	0.008%
9	5.748	5.703	5.781	VV	16	543	0.08%	0.013%
10	5.817	5.781	5.854	VV	25	625	0.09%	0.014%
11	5.889	5.854	5.914	VV	35	786	0.12%	0.018%
12	5.951	5.914	5.967	VV	25	514	0.08%	0.012%
13	6.057	5.967	6.071	VV	37	1646	0.24%	0.038%
14	6.151	6.071	6.171	VV	55	2659	0.39%	0.061%
15	6.184	6.171	6.235	VV	51	1434	0.21%	0.033%
16	6.244	6.235	6.274	VV	29	367	0.05%	0.008%
17	6.290	6.274	6.402	VV	29	1483	0.22%	0.034%
18	6.418	6.402	6.558	VV	17	611	0.09%	0.014%
19	7.039	7.000	7.133	VV	60	2907	0.43%	0.067%
20	7.147	7.133	7.198	VV	22	382	0.06%	0.009%
21	7.429	7.198	7.641	PV	6664	578364	85.55%	13.322%
22	7.751	7.641	7.817	VV	3468	188734	27.92%	4.347%
23	7.887	7.817	8.030	VV	4747	248935	36.82%	5.734%
24	8.046	8.030	8.065	VV	57	1003	0.15%	0.023%
25	8.077	8.065	8.119	VV	50	1480	0.22%	0.034%
26	8.145	8.119	8.168	VV	57	1320	0.20%	0.030%
27	8.210	8.168	8.233	VV	66	1737	0.26%	0.040%
28	8.244	8.233	8.298	VV	56	1487	0.22%	0.034%
29	8.312	8.298	8.387	VV	43	1757	0.26%	0.040%
30	8.501	8.387	8.591	VV	97	7350	1.09%	0.169%
31	8.793	8.591	9.002	VV	4738	268265	39.68%	6.179%
32	9.077	9.002	9.099	VV	24	1027	0.15%	0.024%
33	9.112	9.099	9.200	VV	26	958	0.14%	0.022%
34	9.216	9.200	9.252	VV	11	316	0.05%	0.007%
35	9.360	9.252	9.414	VV	98	5272	0.78%	0.121%
36	9.472	9.414	9.617	VV	95	6300	0.93%	0.145%

37	9.634	9.617	9.698	VV	33	1133	0.17%	0.026%
38	9.936	9.698	10.101	VV	367	30170		
39	10.120	10.101	10.159	VV	40	638		
40	10.397	10.159	10.512	VV	557	55828		
41	10.622	10.512	10.755	VV	14749	676020	100%	
42	10.770	10.755	10.791	VV	98	1954		
43	10.803	10.791	10.919	VV	93	4626	0.68%	0.107%
44	10.963	10.919	11.011	VV	47	1906	0.28%	0.044%
45	11.047	11.011	11.109	VV	38	1219	0.18%	0.028%
46	11.161	11.109	11.200	VV	29	814	0.12%	0.019%
47	11.220	11.200	11.245	PV	25	401	0.06%	0.009%
48	11.272	11.245	11.290	VV	20	426	0.06%	0.010%
49	11.465	11.290	11.628	VV	440	39871	5.90%	0.918%
50	11.646	11.628	11.690	VV	45	1302	0.19%	0.030%
51	11.705	11.690	11.743	VV	34	861	0.13%	0.020%
52	11.783	11.743	11.807	VV	37	1146	0.17%	0.026%
53	11.889	11.807	11.976	VV	64	4334	0.64%	0.100%
54	11.996	11.976	12.035	VV	21	571	0.08%	0.013%
55	12.070	12.035	12.147	VV	30	1224	0.18%	0.028%
56	12.157	12.147	12.247	VV	27	817	0.12%	0.019%
57	12.275	12.247	12.293	VV	27	473	0.07%	0.011%
58	12.334	12.293	12.367	VV	22	663	0.10%	0.015%
59	12.387	12.367	12.434	VV	32	512	0.08%	0.012%
60	12.444	12.434	12.458	VV	44	238	0.04%	0.005%
61	12.487	12.458	12.528	PV	42	642	0.10%	0.015%
62	12.645	12.528	12.698	VV	46	3026	0.45%	0.070%
63	12.777	12.698	12.804	VV	60	2877	0.43%	0.066%
64	12.832	12.804	12.865	VV	54	1585	0.23%	0.037%
65	12.927	12.865	12.939	VV	74	2619	0.39%	0.060%
66	13.059	12.939	13.120	VV	4813	211391	31.27%	4.869%
67	13.191	13.120	13.344	VV	9327	411524	60.87%	9.479%
68	13.354	13.344	13.381	VV	81	1544	0.23%	0.036%
69	13.428	13.381	13.452	VV	72	2734	0.40%	0.063%
70	13.481	13.452	13.519	VV	71	2604	0.39%	0.060%
71	13.559	13.519	13.605	VV	81	3761	0.56%	0.087%
72	13.648	13.605	13.663	VV	87	2456	0.36%	0.057%
73	13.693	13.663	13.761	VV	86	4567	0.68%	0.105%
74	13.919	13.761	14.028	VV	8961	406550	60.14%	9.365%
75	14.125	14.028	14.310	VV	486	54194	8.02%	1.248%
76	14.424	14.310	14.515	VV	195	19598	2.90%	0.451%
77	14.527	14.515	14.571	VV	147	4634	0.69%	0.107%
78	14.584	14.571	14.648	VV	145	5572	0.82%	0.128%
79	14.666	14.648	14.699	VV	121	3457	0.51%	0.080%
80	14.708	14.699	14.721	VV	121	1488	0.22%	0.034%
81	14.796	14.721	14.841	VV	123	8449	1.25%	0.195%
82	14.897	14.841	14.919	VV	137	6042	0.89%	0.139%
83	14.967	14.919	14.985	VV	151	5593	0.83%	0.129%
84	15.071	14.985	15.186	VV	299	24995	3.70%	0.576%
85	15.258	15.186	15.274	VV	184	9155	1.35%	0.211%
86	15.318	15.274	15.381	VV	196	12028	1.78%	0.277%
87	15.498	15.381	15.586	VV	239	25026	3.70%	0.576%
88	15.684	15.586	15.762	VV	195	19056	2.82%	0.439%
89	15.797	15.762	15.843	VV	190	8841	1.31%	0.204%

Instrument :

FID_B

ClientSampleId :

SASP2-T-5-(25-35)MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/02/2022
Supervised By :Ankita Jodhani 09/02/2022

					rters		
90	15.874	15.843	15.887	VV	190	4752	
91	15.978	15.887	16.058	VV	279	23495	
92	16.194	16.058	16.302	VBA	8901	391261	
				Sum of corrected areas:			

FB080922.M Fri Sep 02 13:41:47 2022

Instrument :
FID_B
ClientSampleId :
SASP2-T-5-(25-35)MS
0.70% 0.109%

Manual IntegrationsAPPROVED
Reviewed By :Yogesh Patel 09/02/2022
Supervised By :Ankita Jodhani 09/02/2022