

rteres

Instrument :

FID\_B

ClientSampleId :

BSF0902S1

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/06/2022

Supervised By :Ankita Jodhani 09/06/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB09022  
Data File : FB028094.D  
Signal(s) : FID2B.CH  
Acq On : 2 Sep 2022 14:47  
Sample : BSF0902S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB080922.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.716       | 4.571        | 4.842      | BV       | 6057           | 490540       | 78.26%         | 12.999%       |
| 2         | 7.433       | 7.224        | 7.633      | PV       | 6962           | 601578       | 95.98%         | 15.941%       |
| 3         | 7.754       | 7.633        | 7.819      | VV       | 2940           | 158991       | 25.37%         | 4.213%        |
| 4         | 7.890       | 7.819        | 8.038      | VV       | 4201           | 214635       | 34.24%         | 5.687%        |
| 5         | 8.796       | 8.623        | 8.996      | BV       | 4212           | 232999       | 37.17%         | 6.174%        |
| 6         | 10.624      | 10.513       | 10.917     | VB       | 13475          | 626799       | 100.00%        | 16.609%       |
| 7         | 13.060      | 12.812       | 13.122     | BV       | 4624           | 203800       | 32.51%         | 5.400%        |
| 8         | 13.193      | 13.122       | 13.333     | VV       | 9166           | 404941       | 64.60%         | 10.730%       |
| 9         | 13.920      | 13.714       | 14.026     | BV       | 9207           | 407587       | 65.03%         | 10.800%       |
| 10        | 16.195      | 16.074       | 16.327     | PV       | 10317          | 431936       | 68.91%         | 11.446%       |

Sum of corrected areas: 3773807

FB080922.M Tue Sep 06 02:48:37 2022