

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB090222\
 Data File : FB028095.D
 Signal(s) : FID2B.CH
 Acq On : 2 Sep 2022 15:24
 Sample : N4490-04
 Misc : 5.05G/5.00 ML DI WATER
 ALS Vial : 5 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB080922.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.934	4.779	5.166	PV	5206	337575	51.91%	7.594%
2	5.361	5.220	5.490	VV	2001	125129	19.24%	2.815%
3	6.819	6.670	6.826	PV	83	5325	0.82%	0.120%
4	6.831	6.826	6.864	VB	72	968	0.15%	0.022%
5	8.798	8.673	8.945	PV	2728	151842	23.35%	3.416%
6	10.195	10.028	10.281	PV	194	12365	1.90%	0.278%
7	10.320	10.281	10.331	VV	126	2995	0.46%	0.067%
8	10.353	10.331	10.361	VV	137	2087	0.32%	0.047%
9	10.385	10.361	10.396	VV	141	2601	0.40%	0.059%
10	10.489	10.396	10.597	VV	235	17223	2.65%	0.387%
11	10.801	10.635	10.889	BV	414	28378	4.36%	0.638%
12	10.959	10.889	11.092	VV	346	23796	3.66%	0.535%
13	11.181	11.092	11.354	VV	281	23122	3.56%	0.520%
14	11.469	11.354	11.535	VV	249	16398	2.52%	0.369%
15	11.719	11.535	11.824	VV	1221	121605	18.70%	2.735%
16	11.858	11.824	11.962	VV	789	42300	6.51%	0.952%
17	12.068	11.962	12.192	VV	1070	73673	11.33%	1.657%
18	12.341	12.192	12.461	VV	322	28533	4.39%	0.642%
19	12.574	12.461	12.634	PV	154	9476	1.46%	0.213%
20	12.768	12.634	12.906	VV	2214	156221	24.02%	3.514%
21	13.032	12.906	13.221	VV	3263	272836	41.96%	6.137%
22	13.347	13.221	13.441	VV	2162	158216	24.33%	3.559%
23	13.553	13.441	13.669	VV	4380	302388	46.50%	6.802%
24	13.813	13.669	13.911	VV	5358	403607	62.07%	9.079%
25	13.938	13.911	14.000	VV	1413	60491	9.30%	1.361%
26	14.107	14.000	14.345	VV	4861	401636	61.76%	9.035%
27	14.437	14.345	14.524	PV	1497	81592	12.55%	1.835%
28	14.572	14.524	14.611	VV	154	5796	0.89%	0.130%
29	14.703	14.611	14.744	VV	769	34324	5.28%	0.772%
30	14.839	14.744	14.951	VV	5277	325520	50.06%	7.322%
31	15.217	14.951	15.398	VV	3587	650274	100.00%	14.627%
32	15.517	15.398	15.727	VV	3150	303871	46.73%	6.835%
33	15.805	15.727	15.879	VV	1998	88857	13.66%	1.999%
34	15.947	15.879	15.999	PV	1366	54862	8.44%	1.234%
35	16.047	15.999	16.114	VV	739	30528	4.69%	0.687%
36	16.217	16.114	16.247	PV	1036	39233	6.03%	0.883%

37 16.298 16.247 16.354 VBA rteres 923 49925 7.68% 1.123%
Sum of corrected areas: 4445568

FB080922.M Tue Sep 06 02:55:23 2022