

rtres

Instrument :  
FID\_B  
LabSampleId :  
20 PPB GRO STD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB  
Data File : FB030312.D  
Signal(s) : FID2B.CH  
Acq On : 6 Sep 2023 10:25  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 1 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/07/2023  
Supervised By :Ankita Jodhani 09/07/2023

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB082223.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.709       | 4.551        | 4.829      | BV       | 7653           | 571510       | 73.16%         | 13.312%       |
| 2         | 7.418       | 7.181        | 7.604      | BV       | 7555           | 630104       | 80.66%         | 14.677%       |
| 3         | 7.748       | 7.604        | 7.815      | VV       | 4087           | 222296       | 28.46%         | 5.178%        |
| 4         | 7.884       | 7.815        | 8.002      | VV       | 5170           | 262207       | 33.57%         | 6.108%        |
| 5         | 8.790       | 8.631        | 8.968      | PV       | 4255           | 233092       | 29.84%         | 5.429%        |
| 6         | 10.617      | 10.509       | 10.738     | VV       | 17054          | 781176       | 100.00%        | 18.196%       |
| 7         | 13.053      | 12.392       | 13.115     | BV       | 5440           | 240746       | 30.82%         | 5.608%        |
| 8         | 13.186      | 13.115       | 13.315     | VV       | 10656          | 465554       | 59.60%         | 10.844%       |
| 9         | 13.913      | 13.734       | 14.016     | PV       | 10154          | 452814       | 57.97%         | 10.547%       |
| 10        | 16.188      | 16.075       | 16.311     | VV       | 10237          | 433668       | 55.51%         | 10.101%       |

Sum of corrected areas: 4293166

FB082223.M Thu Sep 07 01:30:19 2023