

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB090722\
Data File : FB028147.D
Signal(s) : FID2B.CH
Acq On : 7 Sep 2022 12:41
Sample : BSF0907W1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB080922.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.719	4.498	4.842	PV	5862	456560	82.50%	14.144%
2	7.434	7.204	7.637	BV	5994	513293	92.75%	15.902%
3	7.756	7.637	7.824	VV	2734	147359	26.63%	4.565%
4	7.894	7.824	8.016	VV	3791	192540	34.79%	5.965%
5	8.799	8.656	8.965	VV	3416	188577	34.07%	5.842%
6	10.627	10.519	10.761	VV	12196	553424	100.00%	17.145%
7	13.063	12.946	13.124	BV	4056	175331	31.68%	5.432%
8	13.196	13.124	13.355	VV	7897	345857	62.49%	10.715%
9	13.922	13.650	14.028	BV	7599	336775	60.85%	10.433%
10	16.197	16.049	16.352	PBA	7629	318148	57.49%	9.856%

Sum of corrected areas: 3227864

FB080922.M Thu Sep 08 07:03:56 2022