

rteres

Instrument :

FID_B

ClientSampleId :

WC-17-4-5-GRMS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB09152
 Data File : FB028294.D
 Signal(s) : FID2B.CH
 Acq On : 16 Sep 2022 2:55
 Sample : N4630-24MS
 Misc : 5.09G/5.00 ML DI WATER
 ALS Vial : 29 Sample Multiplier: 1

Reviewed By :Yogesh Patel 09/16/2022
 Supervised By :Ankita Jodhani 09/16/2022

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB090822.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.479	4.454	4.497	BV	11	133	0.10%	0.015%
2	4.508	4.497	4.546	PV	20	298	0.23%	0.033%
3	4.695	4.546	4.812	VV	925	65395	49.92%	7.210%
4	5.163	5.151	5.173	VV	28	263	0.20%	0.029%
5	5.180	5.173	5.193	VV	23	198	0.15%	0.022%
6	5.519	5.510	5.526	VV	17	108	0.08%	0.012%
7	5.537	5.526	5.575	VV	21	491	0.37%	0.054%
8	5.583	5.575	5.601	VV	19	188	0.14%	0.021%
9	5.641	5.601	5.663	VV	37	742	0.57%	0.082%
10	5.673	5.663	5.683	PV	17	139	0.11%	0.015%
11	5.691	5.683	5.704	VV	21	171	0.13%	0.019%
12	5.717	5.704	5.742	VV	20	299	0.23%	0.033%
13	5.756	5.742	5.765	VV	26	272	0.21%	0.030%
14	5.775	5.765	5.806	VV	24	414	0.32%	0.046%
15	5.828	5.806	5.847	VV	27	398	0.30%	0.044%
16	5.859	5.847	5.865	VV	15	133	0.10%	0.015%
17	5.874	5.865	5.893	VV	25	236	0.18%	0.026%
18	5.906	5.893	5.915	VV	15	149	0.11%	0.016%
19	5.927	5.915	5.943	VV	20	271	0.21%	0.030%
20	5.958	5.943	5.976	VV	21	364	0.28%	0.040%
21	6.009	5.976	6.018	VV	25	481	0.37%	0.053%
22	6.025	6.018	6.058	VV	20	294	0.22%	0.032%
23	6.079	6.058	6.089	VV	20	253	0.19%	0.028%
24	6.098	6.089	6.108	VV	19	189	0.14%	0.021%
25	6.138	6.108	6.146	VV	27	478	0.36%	0.053%
26	6.154	6.146	6.173	VV	28	344	0.26%	0.038%
27	6.187	6.173	6.217	VV	23	509	0.39%	0.056%
28	6.253	6.217	6.266	VV	27	565	0.43%	0.062%
29	6.280	6.266	6.319	VV	29	814	0.62%	0.090%
30	6.330	6.319	6.351	VV	36	616	0.47%	0.068%
31	6.364	6.351	6.444	VV	55	1893	1.44%	0.209%
32	6.452	6.444	6.524	VV	25	760	0.58%	0.084%
33	6.543	6.524	6.570	VV	33	472	0.36%	0.052%
34	6.581	6.570	6.589	VV	19	155	0.12%	0.017%
35	6.596	6.589	6.605	VV	17	121	0.09%	0.013%
36	6.614	6.605	6.621	VV	28	173	0.13%	0.019%

					rters				
37	6.913	6.909	6.993	VV	79	2257	1.72%	0.249%	
38	6.999	6.993	7.041	VV	28	685			
39	7.052	7.041	7.062	VV	29	300			
40	7.081	7.062	7.095	VV	30	416			
41	7.126	7.095	7.145	VV	26	619			
42	7.160	7.145	7.189	VV	29	549			
43	7.198	7.189	7.209	VV	15	131	0.10%	0.014%	
44	7.407	7.209	7.596	VV	532	47085	35.94%	5.191%	
45	7.607	7.596	7.639	VV	35	743	0.57%	0.082%	
46	7.753	7.639	7.806	VV	304	16809	12.83%	1.853%	
47	7.887	7.806	7.997	VV	1071	55773	42.58%	6.149%	
48	8.057	7.997	8.094	VV	65	3132	2.39%	0.345%	
49	8.111	8.094	8.144	VV	64	1622	1.24%	0.179%	
50	8.157	8.144	8.194	VV	60	1394	1.06%	0.154%	
51	8.209	8.194	8.231	VV	59	1031	0.79%	0.114%	
52	8.250	8.231	8.267	VV	54	996	0.76%	0.110%	
53	8.275	8.267	8.290	VV	42	541	0.41%	0.060%	
54	8.300	8.290	8.348	VV	50	1534	1.17%	0.169%	
55	8.383	8.348	8.412	VV	46	1552	1.19%	0.171%	
56	8.424	8.412	8.492	VV	48	1764	1.35%	0.194%	
57	8.503	8.492	8.520	VV	33	421	0.32%	0.046%	
58	8.537	8.520	8.558	VV	28	527	0.40%	0.058%	
59	8.567	8.558	8.592	VV	26	428	0.33%	0.047%	
60	8.605	8.592	8.622	VV	26	392	0.30%	0.043%	
61	8.632	8.622	8.648	VV	23	293	0.22%	0.032%	
62	8.664	8.648	8.682	VV	32	445	0.34%	0.049%	
63	8.790	8.682	8.946	VV	646	37408	28.56%	4.124%	
64	8.955	8.946	8.985	VV	30	481	0.37%	0.053%	
65	9.005	8.985	9.036	VV	31	646	0.49%	0.071%	
66	9.065	9.036	9.075	VV	28	454	0.35%	0.050%	
67	9.088	9.075	9.097	VV	30	317	0.24%	0.035%	
68	9.103	9.097	9.121	VV	29	319	0.24%	0.035%	
69	9.129	9.121	9.154	VV	27	347	0.27%	0.038%	
70	9.162	9.154	9.216	VV	27	710	0.54%	0.078%	
71	9.228	9.216	9.253	VV	31	496	0.38%	0.055%	
72	9.263	9.253	9.273	VV	27	231	0.18%	0.025%	
73	9.279	9.273	9.288	VV	16	132	0.10%	0.015%	
74	9.306	9.288	9.316	VV	29	344	0.26%	0.038%	
75	9.324	9.316	9.334	VV	27	244	0.19%	0.027%	
76	9.379	9.334	9.388	VV	34	891	0.68%	0.098%	
77	9.396	9.388	9.407	VV	36	333	0.25%	0.037%	
78	9.417	9.407	9.424	VV	31	289	0.22%	0.032%	
79	9.432	9.424	9.461	VV	39	724	0.55%	0.080%	
80	9.469	9.461	9.483	VV	35	410	0.31%	0.045%	
81	9.492	9.483	9.530	VV	38	686	0.52%	0.076%	
82	9.539	9.530	9.547	VV	24	180	0.14%	0.020%	
83	9.553	9.547	9.571	VV	27	256	0.20%	0.028%	
84	9.589	9.571	9.605	VV	39	438	0.33%	0.048%	
85	9.632	9.605	9.734	VV	27	1265	0.97%	0.139%	
86	9.748	9.734	9.759	VV	32	260	0.20%	0.029%	
87	9.776	9.759	9.797	VV	28	472	0.36%	0.052%	
88	9.810	9.797	9.841	VV	30	632	0.48%	0.070%	
89	9.853	9.841	9.867	VV	31	350	0.27%	0.039%	

Instrument :

FID_B

ClientSampleId :

WC-17-4-5-GRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/16/2022

Supervised By :Ankita Jodhani 09/16/2022

90	9.898	9.867	9.906	VV	33	549	0.42%	0.061%
91	9.917	9.906	9.925	VV	35	324		
92	9.942	9.925	9.951	VV	40	513		
93	9.960	9.951	10.015	VV	32	1081		
94	10.023	10.015	10.029	VV	28	206		
95	10.036	10.029	10.067	VV	25	399		
96	10.091	10.067	10.098	PV	22	307	0.23%	0.034%
97	10.107	10.098	10.116	VV	21	196	0.15%	0.022%
98	10.142	10.116	10.166	VV	33	650	0.50%	0.072%
99	10.193	10.166	10.201	VV	37	450	0.34%	0.050%
100	10.214	10.201	10.223	VV	31	286	0.22%	0.032%
101	10.260	10.223	10.273	VV	48	1073	0.82%	0.118%
102	10.305	10.273	10.312	VV	66	1205	0.92%	0.133%
103	10.379	10.312	10.407	VV	107	5145	3.93%	0.567%
104	10.415	10.407	10.427	VV	104	1159	0.89%	0.128%
105	10.435	10.427	10.508	VV	99	3132	2.39%	0.345%
106	10.619	10.508	10.744	VV	2821	130996	100.00%	14.443%
107	10.757	10.744	10.771	VV	53	754	0.58%	0.083%
108	10.786	10.771	10.814	VV	54	1214	0.93%	0.134%
109	10.819	10.814	10.839	VV	50	646	0.49%	0.071%
110	10.855	10.839	10.881	VV	39	832	0.63%	0.092%
111	10.903	10.881	10.917	VV	35	620	0.47%	0.068%
112	10.950	10.917	10.966	VV	36	931	0.71%	0.103%
113	10.975	10.966	11.016	VV	34	735	0.56%	0.081%
114	11.024	11.016	11.041	VV	24	286	0.22%	0.032%
115	11.125	11.041	11.137	VV	31	1243	0.95%	0.137%
116	11.161	11.137	11.184	VV	37	724	0.55%	0.080%
117	11.198	11.184	11.248	VV	28	944	0.72%	0.104%
118	11.309	11.248	11.335	VV	34	1154	0.88%	0.127%
119	11.487	11.335	11.624	VV	108	10875	8.30%	1.199%
120	11.724	11.624	11.740	VV	59	3227	2.46%	0.356%
121	11.755	11.740	11.816	VV	63	2463	1.88%	0.272%
122	11.883	11.816	11.969	VV	92	5527	4.22%	0.609%
123	12.094	11.969	12.144	VV	80	5458	4.17%	0.602%
124	12.166	12.144	12.198	VV	35	819	0.63%	0.090%
125	12.234	12.198	12.269	VV	28	581	0.44%	0.064%
126	12.290	12.269	12.315	VV	22	535	0.41%	0.059%
127	12.357	12.315	12.414	VV	33	1218	0.93%	0.134%
128	12.518	12.414	12.532	VV	17	813	0.62%	0.090%
129	12.559	12.532	12.597	VV	24	498	0.38%	0.055%
130	12.764	12.597	12.862	PV	161	9875	7.54%	1.089%
131	12.873	12.862	12.898	VV	39	783	0.60%	0.086%
132	13.056	12.898	13.117	VV	813	42356	32.33%	4.670%
133	13.188	13.117	13.298	VV	1462	68350	52.18%	7.536%
134	13.318	13.298	13.437	VV	105	6014	4.59%	0.663%
135	13.539	13.437	13.672	VV	179	13200	10.08%	1.455%
136	13.915	13.672	14.009	VV	1467	79049	60.34%	8.716%
137	14.108	14.009	14.328	VV	301	31379	23.95%	3.460%
138	14.433	14.328	14.535	VV	124	8726	6.66%	0.962%
139	14.566	14.535	14.582	VV	39	1046	0.80%	0.115%
140	14.594	14.582	14.613	VV	49	669	0.51%	0.074%
141	14.699	14.613	14.719	VV	60	2719	2.08%	0.300%

Instrument :

FID_B

ClientSampleId :

WC-17-4-5-GRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/16/2022
Supervised By :Ankita Jodhani 09/16/2022

Chromatogram Data									
Peak No.	Retention Time (min)	Area	Height	Width	Integration	Area	Height	Width	Integration
142	14.726	14.719	14.741	VV	57	675	0.52%	0.074%	
143	14.838	14.741	14.944	VV	158	11160	8.52%	0.074%	
144	15.067	14.944	15.146	VV	353	21578	16.52%	0.074%	
145	15.172	15.146	15.281	VV	157	11684	8.52%	0.074%	
146	15.292	15.281	15.387	VV	137	7077	5.52%	0.074%	
147	15.505	15.387	15.604	VV	279	21759	16.52%	0.074%	
148	15.619	15.604	15.651	VV	114	2893	2.21%	0.319%	
149	15.667	15.651	15.735	VV	104	4090	3.12%	0.451%	
150	15.789	15.735	15.882	VV	116	7575	5.78%	0.835%	
151	15.970	15.882	16.089	VV	137	12041	9.19%	1.328%	
152	16.190	16.089	16.286	VV	1120	55038	42.01%	6.068%	
153	16.293	16.286	16.341	VV	175	5366	4.10%	0.592%	
154	16.456	16.341	16.503	VBA	331	22581	17.24%	2.490%	
Sum of corrected areas:						906986			

Instrument :
FID_B
ClientSampleId :
WC-17-4-5-GRMS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 09/16/2022
Supervised By :Ankita Jodhani 09/16/2022

FB090822.M Fri Sep 16 07:54:10 2022