

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB091718\  
 Data File : FB017753.D  
 Signal(s) : FID2B.CH  
 Acq On : 17 Sep 2018 20:53  
 Sample : J4943-02  
 Misc : 1.00g/5.00mL DI Water  
 ALS Vial : 19 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB091418.M  
 Title :

Signal : FID2B.CH

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 5.165       | 5.049        | 5.375      | BV       | 442            | 38450        | 33.96%         | 18.495%       |
| 2                       | 5.648       | 5.504        | 5.781      | PV       | 494            | 31422        | 27.76%         | 15.114%       |
| 3                       | 7.092       | 7.036        | 7.103      | VV       | 129            | 3899         | 3.44%          | 1.875%        |
| 4                       | 7.130       | 7.103        | 7.209      | VV       | 105            | 4040         | 3.57%          | 1.943%        |
| 5                       | 9.116       | 9.018        | 9.263      | VV       | 2060           | 113210       | 100.00%        | 54.456%       |
| 6                       | 14.716      | 14.579       | 14.724     | PV       | 73             | 1749         | 1.54%          | 0.841%        |
| 7                       | 14.735      | 14.724       | 14.772     | VV       | 92             | 1300         | 1.15%          | 0.625%        |
| 8                       | 15.813      | 15.740       | 15.870     | VV       | 145            | 6044         | 5.34%          | 2.907%        |
| 9                       | 16.506      | 16.345       | 16.516     | PV       | 85             | 2896         | 2.56%          | 1.393%        |
| 10                      | 16.574      | 16.516       | 16.615     | VV       | 73             | 3024         | 2.67%          | 1.454%        |
| 11                      | 16.733      | 16.615       | 16.750     | VBA      | 44             | 1860         | 1.64%          | 0.895%        |
| Sum of corrected areas: |             |              |            |          |                |              | 207893         |               |

FB091418.M Tue Sep 18 08:44:54 2018