

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB092818\
 Data File : FB018010.D
 Signal(s) : FID2B.CH
 Acq On : 28 Sep 2018 18:04
 Sample : J4777-35
 Misc : 5.02g/5.00mL DI Water
 ALS Vial : 18 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB091418.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.931	4.895	4.943	PV	92	1639	1.15%	0.204%
2	4.978	4.943	4.988	VV	118	2622	1.83%	0.326%
3	5.165	5.079	5.172	PV	519	13755	9.61%	1.712%
4	5.200	5.172	5.372	VV	594	44224	30.90%	5.504%
5	5.640	5.558	5.829	VV	593	37370	26.12%	4.651%
6	7.098	6.886	7.284	PV	1297	127231	88.91%	15.835%
7	9.108	8.971	9.285	BV	2411	143099	100.00%	17.810%
8	9.525	9.494	9.551	VV	86	1379	0.96%	0.172%
9	9.723	9.586	9.809	BV	123	7452	5.21%	0.927%
10	10.529	10.440	10.649	VV	386	23578	16.48%	2.934%
11	10.700	10.649	10.744	VV	107	4834	3.38%	0.602%
12	10.854	10.744	10.930	VV	182	12451	8.70%	1.550%
13	11.128	10.995	11.228	VV	321	18675	13.05%	2.324%
14	11.321	11.228	11.333	VV	132	5304	3.71%	0.660%
15	11.343	11.333	11.424	VV	136	3648	2.55%	0.454%
16	11.802	11.693	11.819	PV	154	6794	4.75%	0.846%
17	11.838	11.819	11.919	VB	148	4617	3.23%	0.575%
18	12.088	11.921	12.300	BV	460	45032	31.47%	5.605%
19	12.419	12.300	12.466	PV	168	9256	6.47%	1.152%
20	12.481	12.466	12.550	VV	143	4302	3.01%	0.535%
21	13.122	13.001	13.216	PV	123	7935	5.55%	0.988%
22	13.373	13.251	13.469	VV	292	16357	11.43%	2.036%
23	13.668	13.585	13.677	PV	148	4654	3.25%	0.579%
24	13.686	13.677	13.697	VV	151	1705	1.19%	0.212%
25	13.896	13.769	14.014	PV	311	22964	16.05%	2.858%
26	14.154	14.059	14.163	VV	335	11921	8.33%	1.484%
27	14.173	14.163	14.257	VV	329	10742	7.51%	1.337%
28	14.457	14.354	14.610	VV	770	50764	35.47%	6.318%
29	14.797	14.707	14.863	PV	153	7008	4.90%	0.872%
30	15.209	15.114	15.298	PV	346	21009	14.68%	2.615%
31	15.310	15.298	15.331	VV	100	1650	1.15%	0.205%
32	15.515	15.371	15.524	VV	406	22737	15.89%	2.830%
33	15.553	15.524	15.593	VV	425	16528	11.55%	2.057%
34	15.605	15.593	15.615	VV	401	5037	3.52%	0.627%
35	15.639	15.615	15.751	VV	414	21350	14.92%	2.657%
36	15.877	15.771	15.954	VV	360	24284	16.97%	3.022%

					rteres.txt				
37	15.987	15.954	16.024	VV	182	6914	4.83%	0.860%	
38	16.159	16.089	16.249	VV	176	8392	5.86%	1.044%	
39	16.312	16.249	16.345	PV	125	4551	3.18%	0.566%	
40	16.358	16.345	16.367	VV	67	665	0.46%	0.083%	
41	16.441	16.367	16.468	VV	146	6448	4.51%	0.802%	
42	16.480	16.468	16.506	VV	102	1803	1.26%	0.224%	
43	16.562	16.506	16.569	VV	180	4555	3.18%	0.567%	
44	16.578	16.569	16.628	VV	168	3865	2.70%	0.481%	
45	16.654	16.628	16.702	VV	97	2387	1.67%	0.297%	

Sum of corrected areas: 803485

FB091418.M Mon Oct 01 07:54:53 2018