

rteres

Instrument :  
FID\_B  
LabSampleId :  
20 PPB GRO STD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/03/2023  
Supervised By :Ankita Jodhani 10/03/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB  
Data File : FB030354.D  
Signal(s) : FID2B.CH  
Acq On : 2 Oct 2023 9:14  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB091823.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.703       | 4.552        | 4.826      | PV       | 6683           | 486964       | 72.82%         | 12.695%       |
| 2         | 7.405       | 7.220        | 7.587      | BV       | 6341           | 525486       | 78.58%         | 13.699%       |
| 3         | 7.739       | 7.587        | 7.806      | VV       | 3451           | 191362       | 28.62%         | 4.989%        |
| 4         | 7.876       | 7.806        | 7.996      | VV       | 4505           | 228209       | 34.13%         | 5.949%        |
| 5         | 8.782       | 8.648        | 9.041      | VB       | 4532           | 247856       | 37.07%         | 6.461%        |
| 6         | 10.607      | 10.500       | 10.733     | VV       | 14654          | 668687       | 100.00%        | 17.432%       |
| 7         | 13.043      | 12.578       | 13.105     | PV       | 4844           | 219786       | 32.87%         | 5.730%        |
| 8         | 13.176      | 13.105       | 13.338     | VV       | 9534           | 419724       | 62.77%         | 10.942%       |
| 9         | 13.902      | 13.675       | 14.005     | PV       | 9149           | 416764       | 62.33%         | 10.865%       |
| 10        | 16.178      | 16.060       | 16.304     | VV       | 10010          | 431103       | 64.47%         | 11.239%       |

Sum of corrected areas: 3835940

FB091823.M Tue Oct 03 01:12:14 2023