

rteres

Instrument :

FID_B

ClientSampleId :

AU-05-100224MS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/07/2024

Supervised By :Ankita Jodhani 10/07/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB100424
Data File : FB030977.D
Signal(s) : FID2B.CH
Acq On : 4 Oct 2024 16:22
Sample : P4273-01MS
Misc : 5.10G/5.00 ML DI WATER
ALS Vial : 15 Sample Multiplier: 1

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB100424.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.369	5.288	5.865	PV	634	4277	0.30%	0.034%
2	5.873	5.865	5.996	PV	22	195	0.01%	0.002%
3	6.005	5.996	6.054	PV	13	441	0.03%	0.003%
4	6.060	6.054	6.097	VV	16	439	0.03%	0.003%
5	6.105	6.097	6.223	VV	33	1910	0.13%	0.015%
6	6.232	6.223	6.384	VV	43	1613	0.11%	0.013%
7	6.393	6.384	6.442	PV	21	248	0.02%	0.002%
8	6.462	6.442	6.502	VV	22	242	0.02%	0.002%
9	6.507	6.502	6.538	PV	12	183	0.01%	0.001%
10	6.543	6.538	6.567	VV	25	206	0.01%	0.002%
11	6.574	6.567	6.584	VV	15	89	0.01%	0.001%
12	6.595	6.584	6.605	VV	23	126	0.01%	0.001%
13	6.613	6.605	6.696	PV	8	141	0.01%	0.001%
14	6.706	6.696	6.725	VV	12	133	0.01%	0.001%
15	6.737	6.725	6.961	VV	22	1574	0.11%	0.012%
16	6.969	6.961	7.013	PV	16	228	0.02%	0.002%
17	7.034	7.013	7.043	PV	22	249	0.02%	0.002%
18	7.054	7.043	7.078	VV	20	400	0.03%	0.003%
19	7.087	7.078	7.093	VV	25	195	0.01%	0.002%
20	7.114	7.093	7.126	VV	44	544	0.04%	0.004%
21	7.179	7.126	7.215	VV	32	829	0.06%	0.007%
22	7.430	7.215	7.652	VV	12190	1227407	84.80%	9.630%
23	7.755	7.652	7.825	VV	6965	418359	28.90%	3.282%
24	7.898	7.825	8.375	VV	8590	522465	36.10%	4.099%
25	8.387	8.375	8.450	VV	42	947	0.07%	0.007%
26	8.557	8.450	8.606	PV	34	1753	0.12%	0.014%
27	8.796	8.606	9.210	VV	9616	584762	40.40%	4.588%
28	9.223	9.210	9.262	VV	17	135	0.01%	0.001%
29	9.279	9.262	9.305	PV	10	165	0.01%	0.001%
30	9.375	9.305	9.506	PV	56	3798	0.26%	0.030%
31	9.521	9.506	9.597	VV	28	916	0.06%	0.007%
32	9.612	9.597	9.626	VV	31	348	0.02%	0.003%
33	9.637	9.626	9.674	VV	32	434	0.03%	0.003%
34	9.694	9.674	9.750	VV	21	591	0.04%	0.005%
35	9.947	9.750	10.108	PV	250	22406	1.55%	0.176%
36	10.121	10.108	10.184	VV	37	1053	0.07%	0.008%

37	10.388	10.184	10.496	VV	273	26314	1.82%	0.206%
38	10.628	10.496	10.975	VV	26056	1447434	100.00%	100.000%
39	10.987	10.975	11.036	VV	51	1516	0.00%	0.002%
40	11.045	11.036	11.174	VV	47	1325	0.00%	0.002%
41	11.208	11.174	11.232	VV	43	522	0.00%	0.002%
42	11.270	11.232	11.297	PV	20	319	0.00%	0.002%
43	11.320	11.297	11.333	VV	19	310	0.02%	0.002%
44	11.453	11.333	11.682	VV	125	12818	0.89%	0.101%
45	11.756	11.682	11.791	VV	40	1802	0.12%	0.014%
46	11.801	11.791	11.818	VV	33	420	0.03%	0.003%
47	11.851	11.818	11.867	VV	53	1136	0.08%	0.009%
48	11.889	11.867	11.974	VV	46	1986	0.14%	0.016%
49	11.982	11.974	12.006	VV	19	253	0.02%	0.002%
50	12.018	12.006	12.060	VV	14	375	0.03%	0.003%
51	12.079	12.060	12.162	VV	18	735	0.05%	0.006%
52	12.190	12.162	12.206	VV	15	258	0.02%	0.002%
53	12.242	12.206	12.285	VV	24	520	0.04%	0.004%
54	12.313	12.285	12.346	PV	19	386	0.03%	0.003%
55	12.364	12.346	12.405	VV	12	285	0.02%	0.002%
56	12.468	12.405	12.502	VV	26	670	0.05%	0.005%
57	12.538	12.502	12.578	VV	30	802	0.06%	0.006%
58	12.615	12.578	12.669	VV	26	1173	0.08%	0.009%
59	12.684	12.669	12.700	VV	30	431	0.03%	0.003%
60	12.750	12.700	12.793	VV	50	1984	0.14%	0.016%
61	12.803	12.793	12.873	VV	39	1022	0.07%	0.008%
62	13.066	12.873	13.127	PV	8831	448662	31.00%	3.520%
63	13.201	13.127	13.494	VV	17118	1060215	73.25%	8.318%
64	13.506	13.494	13.641	VV	1015	96996	6.70%	0.761%
65	13.703	13.641	13.741	VV	1301	76122	5.26%	0.597%
66	13.761	13.741	13.783	VV	1392	35254	2.44%	0.277%
67	13.792	13.783	13.807	VV	1443	20491	1.42%	0.161%
68	13.930	13.807	14.275	VV	17212	1364082	94.24%	10.702%
69	14.345	14.275	14.476	VV	2362	285853	19.75%	2.243%
70	14.517	14.476	14.698	VV	2569	350535	24.22%	2.750%
71	14.786	14.698	14.800	VV	2935	176251	12.18%	1.383%
72	14.898	14.800	14.923	VV	3116	225570	15.58%	1.770%
73	14.939	14.923	14.977	VV	3179	103403	7.14%	0.811%
74	15.063	14.977	15.188	VV	3504	434849	30.04%	3.412%
75	15.232	15.188	15.277	VV	3654	195205	13.49%	1.532%
76	15.397	15.277	15.480	VV	4037	479286	33.11%	3.760%
77	15.521	15.480	15.595	VV	4121	284385	19.65%	2.231%
78	15.627	15.595	15.657	VV	4251	155790	10.76%	1.222%
79	15.681	15.657	15.699	VV	4311	108528	7.50%	0.851%
80	15.719	15.699	15.821	VV	4377	322331	22.27%	2.529%
81	15.835	15.821	15.857	VV	4529	99043	6.84%	0.777%
82	15.961	15.857	16.070	VV	4763	605407	41.83%	4.750%
83	16.204	16.070	16.372	VV	16263	1427797	98.64%	11.202%
84	16.382	16.372	16.403	VBA	5462	85203	5.89%	0.668%
Sum of corrected areas:					12745847			

Instrument :

FID_B

ClientSampleId :

AU-05-100224MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/07/2024

Supervised By :Ankita Jodhani 10/07/2024