

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB100521\
Data File : FB026252.D
Signal(s) : FID2B.CH
Acq On : 5 Oct 2021 10:40
Sample : BSF1005S1
Misc : 5.01G/5.00 ML DI WATER
ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB091621.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.855	4.723	4.975	BV	7817	527041	66.83%	11.957%
2	7.503	7.298	7.696	PV	7872	657120	83.32%	14.908%
3	7.820	7.696	7.889	VV	4588	245385	31.11%	5.567%
4	7.958	7.889	8.121	VB	5372	270305	34.27%	6.133%
5	8.841	8.669	9.065	BB	5278	288284	36.55%	6.540%
6	10.650	10.531	10.918	VB	17271	788668	100.00%	17.893%
7	13.067	12.675	13.128	BV	5350	233679	29.63%	5.302%
8	13.199	13.128	13.382	VB	10503	461075	58.46%	10.461%
9	13.923	13.743	14.030	BV	10145	445932	56.54%	10.117%
10	16.191	16.070	16.300	BBA	11727	490257	62.16%	11.123%

Sum of corrected areas: 4407745

FB091621.M Tue Oct 05 12:53:01 2021