

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB100523\  
Data File : FB030394.D  
Signal(s) : FID2B.CH  
Acq On : 5 Oct 2023 12:21  
Sample : BSF1005S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB091823.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.704       | 4.534        | 4.840      | PV       | 6114           | 460699       | 69.49%         | 12.663%       |
| 2         | 7.413       | 7.189        | 7.616      | PV       | 5982           | 498108       | 75.13%         | 13.691%       |
| 3         | 7.746       | 7.616        | 7.813      | VV       | 3171           | 170088       | 25.66%         | 4.675%        |
| 4         | 7.883       | 7.813        | 8.007      | VV       | 4319           | 219700       | 33.14%         | 6.039%        |
| 5         | 8.788       | 8.643        | 8.954      | BV       | 4253           | 233968       | 35.29%         | 6.431%        |
| 6         | 10.615      | 10.507       | 10.942     | VV       | 14405          | 662977       | 100.00%        | 18.223%       |
| 7         | 13.052      | 12.936       | 13.113     | VV       | 4745           | 206363       | 31.13%         | 5.672%        |
| 8         | 13.184      | 13.113       | 13.336     | VV       | 9275           | 408290       | 61.58%         | 11.222%       |
| 9         | 13.911      | 13.580       | 14.017     | BV       | 8888           | 393648       | 59.38%         | 10.820%       |
| 10        | 16.185      | 16.066       | 16.322     | PV       | 9132           | 384362       | 57.98%         | 10.565%       |

Sum of corrected areas: 3638203

FB091823.M Fri Oct 06 01:19:18 2023