

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB101018\  
 Data File : FB018159.D  
 Signal(s) : FID2B.CH  
 Acq On : 10 Oct 2018 11:15  
 Sample : J5336-02  
 Misc : 5.00g/5.00mL DI Water  
 ALS Vial : 8 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB091418.M  
 Title :

Signal : FID2B.CH

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 5.155       | 5.038        | 5.164      | PV       | 398            | 11881        | 6.88%          | 4.172%        |
| 2                       | 5.172       | 5.164        | 5.325      | VV       | 393            | 17198        | 9.95%          | 6.039%        |
| 3                       | 5.639       | 5.507        | 5.767      | VV       | 331            | 21944        | 12.70%         | 7.706%        |
| 4                       | 7.091       | 7.022        | 7.117      | PV       | 44             | 1834         | 1.06%          | 0.644%        |
| 5                       | 9.111       | 8.976        | 9.291      | VV       | 3091           | 172775       | 100.00%        | 60.670%       |
| 6                       | 9.481       | 9.332        | 9.533      | VV       | 114            | 6166         | 3.57%          | 2.165%        |
| 7                       | 9.729       | 9.589        | 9.870      | VV       | 148            | 13313        | 7.71%          | 4.675%        |
| 8                       | 14.439      | 14.307       | 14.552     | VV       | 157            | 11378        | 6.59%          | 3.995%        |
| 9                       | 15.422      | 15.214       | 15.512     | PV       | 97             | 6744         | 3.90%          | 2.368%        |
| 10                      | 15.680      | 15.560       | 15.753     | VV       | 79             | 3772         | 2.18%          | 1.325%        |
| 11                      | 15.999      | 15.915       | 16.031     | VV       | 75             | 2495         | 1.44%          | 0.876%        |
| 12                      | 16.327      | 16.058       | 16.409     | PV       | 68             | 7209         | 4.17%          | 2.531%        |
| 13                      | 16.594      | 16.409       | 16.682     | VV       | 95             | 7220         | 4.18%          | 2.535%        |
| 14                      | 16.727      | 16.682       | 16.755     | VBA      | 22             | 848          | 0.49%          | 0.298%        |
| Sum of corrected areas: |             |              |            |          |                |              | 284778         |               |

FB091418.M Thu Oct 11 08:29:13 2018