

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB101024\
Data File : FB030985.D
Signal(s) : FID2B.CH
Acq On : 10 Oct 2024 10:40
Sample : BSF1010S1
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB100424.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.728	4.582	4.900	BBA	14350	1082367	69.85%	12.707%
2	7.431	7.205	7.648	PV	14610	1382392	89.21%	16.230%
3	7.757	7.648	7.826	VV	7657	446468	28.81%	5.242%
4	7.897	7.826	8.211	VV	9425	540199	34.86%	6.342%
5	8.796	8.651	9.027	PV	7378	431430	27.84%	5.065%
6	10.625	10.507	10.997	VV	28713	1549594	100.00%	18.193%
7	13.061	12.929	13.121	BV	9626	459109	29.63%	5.390%
8	13.194	13.121	13.452	VV	18894	997233	64.35%	11.708%
9	13.922	13.717	14.070	VV	18117	933577	60.25%	10.960%
10	16.198	16.082	16.403	PBA	15645	695324	44.87%	8.163%

Sum of corrected areas: 8517693

FB100424.M Fri Oct 11 05:08:18 2024