

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB101118\
 Data File : FB018194.D
 Signal(s) : FID2B.CH
 Acq On : 11 Oct 2018 10:51
 Sample : J5392-01MS
 Misc : 5.01g/5.00mL DI Water
 ALS Vial : 6 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB091418.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.965	4.785	5.113	PV	8393	605642	100.00%	12.785%
2	5.288	5.113	5.503	VV	1661	177042	29.23%	3.737%
3	5.644	5.503	5.787	VV	893	57558	9.50%	1.215%
4	6.672	6.578	6.772	VV	292	17338	2.86%	0.366%
5	7.109	6.881	7.304	BV	2096	243547	40.21%	5.141%
6	7.463	7.304	7.561	VV	694	59705	9.86%	1.260%
7	7.729	7.561	7.930	VV	5619	462792	76.41%	9.769%
8	8.066	7.930	8.138	VV	2963	165147	27.27%	3.486%
9	8.206	8.138	8.356	VV	3869	196567	32.46%	4.150%
10	8.803	8.776	8.828	VV	138	3282	0.54%	0.069%
11	8.894	8.848	8.968	VV	162	7635	1.26%	0.161%
12	9.113	8.994	9.272	VV	3685	208832	34.48%	4.408%
13	9.714	9.617	9.873	VV	575	44630	7.37%	0.942%
14	9.979	9.873	10.059	PV	388	24258	4.01%	0.512%
15	10.067	10.059	10.082	VV	171	1715	0.28%	0.036%
16	10.257	10.206	10.316	VV	107	4112	0.68%	0.087%
17	10.642	10.471	10.708	PV	326	20786	3.43%	0.439%
18	10.716	10.708	10.819	VV	180	7547	1.25%	0.159%
19	10.962	10.850	11.128	PV	10383	472534	78.02%	9.975%
20	11.520	11.461	11.562	VV	110	3984	0.66%	0.084%
21	11.739	11.719	11.751	VV	145	2009	0.33%	0.042%
22	11.791	11.751	11.827	VV	201	7788	1.29%	0.164%
23	11.834	11.827	11.900	VV	194	5771	0.95%	0.122%
24	12.098	12.058	12.110	VV	117	2592	0.43%	0.055%
25	12.224	12.110	12.349	VV	393	24165	3.99%	0.510%
26	12.445	12.349	12.534	PV	285	13777	2.27%	0.291%
27	13.112	13.020	13.249	PV	449	22197	3.67%	0.469%
28	13.411	13.302	13.472	BV	3986	174900	28.88%	3.692%
29	13.543	13.472	13.783	VV	8347	371064	61.27%	7.833%
30	13.920	13.783	13.989	PV	181	11219	1.85%	0.237%
31	14.276	14.087	14.387	VV	9327	416078	68.70%	8.783%
32	14.473	14.387	14.688	VV	485	54210	8.95%	1.144%
33	14.784	14.688	14.838	VV	265	12978	2.14%	0.274%
34	14.887	14.838	14.980	VV	227	10296	1.70%	0.217%
35	15.420	15.272	15.498	PV	807	36831	6.08%	0.777%
36	15.591	15.498	15.671	VV	570	32424	5.35%	0.684%

					rteres.txt				
37	15.772	15.671	15.829	VV	2601	133100	21.98%	2.810%	
38	15.865	15.829	16.102	VV	1641	76205	12.58%	1.609%	
39	16.316	16.219	16.453	PV	1662	74011	12.22%	1.562%	
40	16.558	16.453	16.664	PV	11430	470845	77.74%	9.939%	

Sum of corrected areas: 4737115

FB091418.M Fri Oct 12 09:11:39 2018