

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB101822\  
Data File : FB028641.D  
Signal(s) : FID2B.CH  
Acq On : 18 Oct 2022 9:34  
Sample : 20 PPB GRO STD  
Misc :  
ALS Vial : 1 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB100522.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.708       | 4.567        | 4.854      | PV       | 7117           | 525635       | 79.11%         | 13.484%       |
| 2         | 7.419       | 7.226        | 7.627      | PV       | 6792           | 573757       | 86.35%         | 14.718%       |
| 3         | 7.747       | 7.627        | 7.814      | VV       | 3603           | 195257       | 29.39%         | 5.009%        |
| 4         | 7.883       | 7.814        | 8.005      | VV       | 4595           | 234030       | 35.22%         | 6.003%        |
| 5         | 8.789       | 8.609        | 9.052      | BB       | 5254           | 288257       | 43.38%         | 7.394%        |
| 6         | 10.617      | 10.491       | 10.750     | VV       | 14628          | 664458       | 100.00%        | 17.045%       |
| 7         | 13.054      | 12.818       | 13.116     | BV       | 4689           | 206060       | 31.01%         | 5.286%        |
| 8         | 13.187      | 13.116       | 13.333     | VV       | 9260           | 405693       | 61.06%         | 10.407%       |
| 9         | 13.915      | 13.702       | 14.017     | PV       | 8972           | 402647       | 60.60%         | 10.329%       |
| 10        | 16.190      | 16.080       | 16.311     | VV       | 9566           | 402502       | 60.58%         | 10.325%       |

Sum of corrected areas: 3898296

FB100522.M Wed Oct 19 07:22:50 2022