

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB102022\  
Data File : FB028660.D  
Signal(s) : FID2B.CH  
Acq On : 20 Oct 2022 15:50  
Sample : BSF1020S2  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 10 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB100522.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.714       | 4.544        | 4.856      | PV       | 6510           | 513215       | 85.51%         | 14.098%       |
| 2         | 7.427       | 7.192        | 7.628      | BV       | 6697           | 568012       | 94.65%         | 15.603%       |
| 3         | 7.752       | 7.628        | 7.819      | VV       | 3233           | 174707       | 29.11%         | 4.799%        |
| 4         | 7.888       | 7.819        | 8.039      | VV       | 4140           | 210825       | 35.13%         | 5.791%        |
| 5         | 8.793       | 8.581        | 8.942      | BV       | 4494           | 246516       | 41.08%         | 6.772%        |
| 6         | 10.622      | 10.515       | 10.781     | VV       | 13269          | 600148       | 100.00%        | 16.486%       |
| 7         | 13.059      | 12.929       | 13.120     | PV       | 4359           | 189497       | 31.58%         | 5.205%        |
| 8         | 13.191      | 13.120       | 13.341     | VV       | 8619           | 376790       | 62.78%         | 10.350%       |
| 9         | 13.918      | 13.806       | 14.045     | BV       | 8495           | 378059       | 62.99%         | 10.385%       |
| 10        | 16.194      | 16.084       | 16.333     | PV       | 9134           | 382595       | 63.75%         | 10.510%       |

Sum of corrected areas: 3640364

FB100522.M Fri Oct 21 04:02:01 2022