

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB102022\
Data File : FB028661.D
Signal(s) : FID2B.CH
Acq On : 20 Oct 2022 16:29
Sample : 20 PPB GRO STD
Misc : 5.00G/5.00 ML DI WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB100522.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.712	4.527	4.860	PV	6555	518485	82.83%	14.127%
2	7.426	7.170	7.632	PV	6409	550850	88.01%	15.009%
3	7.752	7.632	7.818	VV	3351	181187	28.95%	4.937%
4	7.888	7.818	8.030	VV	4313	220134	35.17%	5.998%
5	8.793	8.623	8.957	PV	4438	246300	39.35%	6.711%
6	10.621	10.516	10.775	VV	13803	625927	100.00%	17.055%
7	13.058	12.600	13.120	PV	4467	198036	31.64%	5.396%
8	13.191	13.120	13.391	VB	8789	385533	61.59%	10.505%
9	13.918	13.641	14.028	BV	8505	376066	60.08%	10.247%
10	16.194	16.056	16.361	PV	8781	367558	58.72%	10.015%

Sum of corrected areas: 3670076

FB100522.M Fri Oct 21 04:02:23 2022