

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB102122\  
Data File : FB028666.D  
Signal(s) : FID2B.CH  
Acq On : 21 Oct 2022 10:26  
Sample : BSF1021S1  
Misc : 5.00G/5.00 ML DI WATER  
ALS Vial : 4 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB100522.M  
Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.706       | 4.534        | 4.841      | VV       | 6396           | 491902       | 83.80%         | 13.875%       |
| 2         | 7.417       | 7.165        | 7.618      | BV       | 6249           | 526375       | 89.67%         | 14.848%       |
| 3         | 7.748       | 7.618        | 7.813      | VV       | 3057           | 165574       | 28.21%         | 4.670%        |
| 4         | 7.884       | 7.813        | 8.033      | VV       | 4006           | 205512       | 35.01%         | 5.797%        |
| 5         | 8.789       | 8.648        | 8.940      | PV       | 4462           | 244290       | 41.61%         | 6.891%        |
| 6         | 10.617      | 10.507       | 10.752     | VV       | 12909          | 587028       | 100.00%        | 16.559%       |
| 7         | 13.054      | 12.799       | 13.115     | PV       | 4279           | 188470       | 32.11%         | 5.316%        |
| 8         | 13.186      | 13.115       | 13.352     | VV       | 8505           | 372908       | 63.52%         | 10.519%       |
| 9         | 13.914      | 13.669       | 14.017     | PV       | 8439           | 376988       | 64.22%         | 10.634%       |
| 10        | 16.189      | 16.057       | 16.341     | PV       | 9229           | 386121       | 65.78%         | 10.891%       |

Sum of corrected areas: 3545170

FB100522.M Fri Oct 21 17:30:23 2022