

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB102418\
 Data File : FB018333.D
 Signal(s) : FID2B.CH
 Acq On : 24 Oct 2018 11:05
 Sample : BSF1024S1
 Misc : 5.03g/5.00mL DI Water
 ALS Vial : 3 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.963	4.778	5.122	PV	6686	480136	96.01%	13.711%
2	5.156	5.122	5.170	VV	362	8679	1.74%	0.248%
3	5.185	5.170	5.336	VV	349	22706	4.54%	0.648%
4	5.641	5.509	5.762	BV	320	20576	4.11%	0.588%
5	7.082	7.028	7.110	PV	86	2475	0.49%	0.071%
6	7.122	7.110	7.141	VV	57	617	0.12%	0.018%
7	7.727	7.538	7.931	PV	6080	500088	100.00%	14.281%
8	8.066	7.931	8.139	VV	2963	164274	32.85%	4.691%
9	8.207	8.139	8.375	VV	3845	199369	39.87%	5.693%
10	9.112	8.948	9.291	VV	3216	181659	36.33%	5.188%
11	10.250	10.069	10.332	VV	250	19944	3.99%	0.570%
12	10.735	10.527	10.836	VV	312	30999	6.20%	0.885%
13	10.960	10.836	11.148	VV	10725	495787	99.14%	14.158%
14	11.804	11.639	11.946	VV	272	27211	5.44%	0.777%
15	13.410	13.240	13.471	PV	3728	163661	32.73%	4.674%
16	13.542	13.471	13.719	VV	7786	343552	68.70%	9.811%
17	14.274	14.166	14.382	PV	8119	363213	72.63%	10.372%
18	14.429	14.382	14.596	VV	365	29450	5.89%	0.841%
19	14.707	14.638	14.805	PV	112	5984	1.20%	0.171%
20	15.757	15.646	15.843	PV	110	7079	1.42%	0.202%
21	16.557	16.411	16.678	BV	10396	434379	86.86%	12.404%
Sum of corrected areas:						3501838		

FB101218.M Thu Oct 25 12:39:20 2018