

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB102422\
Data File : FB028716.D
Signal(s) : FID2B.CH
Acq On : 25 Oct 2022 2:27
Sample : 20 PPB GRO STD
Misc : 5.06G/5.00 ML DI WATER
ALS Vial : 20 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB100522.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.520	4.844	PV	5413	411323	76.80%	13.384%
2	7.425	7.227	7.632	PV	5331	450850	84.18%	14.670%
3	7.753	7.632	7.822	VV	2625	143270	26.75%	4.662%
4	7.891	7.822	8.014	VV	3535	179120	33.44%	5.828%
5	8.796	8.626	8.949	BV	4067	223213	41.67%	7.263%
6	10.623	10.513	10.775	VV	11730	535608	100.00%	17.428%
7	13.060	12.898	13.121	PV	3805	165024	30.81%	5.370%
8	13.192	13.121	13.346	VV	7483	327378	61.12%	10.652%
9	13.919	13.775	14.028	BV	7277	323163	60.34%	10.515%
10	16.193	16.074	16.311	PV	7518	314333	58.69%	10.228%

Sum of corrected areas: 3073282

FB100522.M Tue Oct 25 08:05:41 2022