

Instrument :

FID_B

ClientSampleId :

AU-06-10232024MS

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB10242
 Data File : FB031031.D
 Signal(s) : FID2B.CH
 Acq On : 24 Oct 2024 18:41
 Sample : P4509-01MS 50X
 Misc : 5.10G/5.00 ML ME0H
 ALS Vial : 22 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/25/2024

Supervised By :Ankita Jodhani 10/25/2024

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB100424.M

Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.711	4.617	4.851	M	12491	972827	76.43%	12.046%
2	5.611	5.600	5.843	PV	17	348	0.03%	0.004%
3	5.853	5.843	5.893	PV	14	193	0.02%	0.002%
4	5.905	5.893	5.968	PV	16	745	0.06%	0.009%
5	5.975	5.968	5.987	VV	46	287	0.02%	0.004%
6	6.008	5.987	6.059	VV	25	740	0.06%	0.009%
7	6.068	6.059	6.084	VV	36	245	0.02%	0.003%
8	6.092	6.084	6.105	PV	18	123	0.01%	0.002%
9	6.135	6.105	6.158	VV	32	782	0.06%	0.010%
10	6.166	6.158	6.174	VV	44	386	0.03%	0.005%
11	6.180	6.174	6.191	VV	63	529	0.04%	0.007%
12	6.200	6.191	6.210	VV	57	577	0.05%	0.007%
13	6.214	6.210	6.227	VV	67	479	0.04%	0.006%
14	6.234	6.227	6.257	VV	40	401	0.03%	0.005%
15	6.265	6.257	6.299	VV	20	268	0.02%	0.003%
16	6.338	6.299	6.359	VV	33	797	0.06%	0.010%
17	6.372	6.359	6.528	VV	43	2026	0.16%	0.025%
18	6.539	6.528	6.564	VV	15	228	0.02%	0.003%
19	6.574	6.564	6.611	PV	14	265	0.02%	0.003%
20	6.638	6.611	6.660	VV	27	434	0.03%	0.005%
21	7.051	6.997	7.068	VV	74	1651	0.13%	0.020%
22	7.117	7.068	7.153	VV	116	4355	0.34%	0.054%
23	7.161	7.153	7.171	VV	114	1095	0.09%	0.014%
24	7.180	7.171	7.216	VV	103	1889	0.15%	0.023%
25	7.222	7.216	7.235	VV	46	393	0.03%	0.005%
26	7.429	7.235	7.646	VV	11945	1109872	87.20%	13.743%
27	7.754	7.646	7.822	VV	5878	341415	26.82%	4.228%
28	7.895	7.822	8.161	VV	7989	461190	36.24%	5.711%
29	8.253	8.161	8.391	VV	81	5931	0.47%	0.073%
30	8.549	8.391	8.650	PV	120	10729	0.84%	0.133%
31	8.796	8.650	9.024	VV	10000	593254	46.61%	7.346%
32	9.035	9.024	9.063	VV	107	1972	0.15%	0.024%
33	9.150	9.063	9.169	VV	151	7190	0.56%	0.089%
34	9.179	9.169	9.272	VV	157	5755	0.45%	0.071%
35	9.394	9.272	9.564	VV	321	29856	2.35%	0.370%
36	9.648	9.564	9.813	VV	147	13959	1.10%	0.173%

37	10.194	10.097	10.232	VV	124	6173	0.48%	0.076%
38	10.389	10.232	10.513	VV	729	71881		
39	10.626	10.513	10.923	VV	23852	1272766	100	
40	10.974	10.923	11.086	VV	134	9389		
41	11.169	11.086	11.328	VV	108	8877		
42	11.765	11.615	11.814	VV	366	29302		
43	11.871	11.814	11.985	VV	443	26968	2.12%	0.334%
44	12.092	11.985	12.247	VV	352	25441	2.00%	0.315%
45	12.259	12.247	12.275	VV	46	610	0.05%	0.008%
46	12.342	12.275	12.443	VV	87	4848	0.38%	0.060%
47	12.509	12.443	12.523	PV	31	834	0.07%	0.010%
48	12.556	12.523	12.591	VV	39	1065	0.08%	0.013%
49	12.776	12.591	12.907	VV	232	22499	1.77%	0.279%
50	13.063	12.907	13.125	VV	7988	395860	31.10%	4.902%
51	13.198	13.125	13.436	VV	15297	823521	64.70%	10.197%
52	13.535	13.436	13.669	VV	435	32374	2.54%	0.401%
53	13.927	13.669	14.041	VV	14169	752659	59.14%	9.320%
54	14.107	14.041	14.321	VV	1513	133511	10.49%	1.653%
55	14.410	14.321	14.471	VV	259	17172	1.35%	0.213%
56	14.540	14.471	14.646	VV	631	33195	2.61%	0.411%
57	14.698	14.646	14.739	VV	52	2040	0.16%	0.025%
58	15.072	14.989	15.106	VV	316	15572	1.22%	0.193%
59	15.235	15.106	15.345	VV	2013	122160	9.60%	1.513%
60	15.418	15.345	15.467	VV	763	40654	3.19%	0.503%
61	15.507	15.467	15.659	VV	636	37897	2.98%	0.469%
62	15.673	15.659	15.741	VV	94	2684	0.21%	0.033%
63	15.800	15.741	15.871	VV	104	4202	0.33%	0.052%
64	15.958	15.871	16.091	PV	448	24015	1.89%	0.297%
65	16.202	16.091	16.325	PV	12493	559347	43.95%	6.926%
66	16.391	16.325	16.469	VV	503	25032	1.97%	0.310%
Sum of corrected areas:						8075729		

Instrument :

FID_B

ClientSampleId :

AU-06-10232024MS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/25/2024
Supervised By :Ankita Jodhani 10/25/2024

FB100424.M Fri Oct 25 06:51:17 2024