

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB102618\
 Data File : FB018366.D
 Signal(s) : FID2B.CH
 Acq On : 26 Oct 2018 16:41
 Sample : J5688-02MSD
 Misc : 5.01g/5.00mL DI Water
 ALS Vial : 17 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.962	4.787	5.104	PV	4358	311804	78.55%	10.949%
2	5.233	5.104	5.414	VV	694	67968	17.12%	2.387%
3	5.635	5.456	5.780	BV	537	37585	9.47%	1.320%
4	7.104	6.833	7.351	PV	1906	192396	48.47%	6.756%
5	7.729	7.526	7.955	BV	3434	282433	71.15%	9.918%
6	8.065	7.955	8.130	VV	1364	74540	18.78%	2.617%
7	8.206	8.130	8.330	VV	3432	175157	44.13%	6.151%
8	9.111	8.977	9.350	PV	2850	159567	40.20%	5.603%
9	9.493	9.350	9.594	VV	165	12901	3.25%	0.453%
10	9.711	9.594	9.928	VV	346	30695	7.73%	1.078%
11	10.069	9.928	10.090	VV	106	5657	1.43%	0.199%
12	10.118	10.090	10.132	VV	127	2683	0.68%	0.094%
13	10.249	10.132	10.368	VV	195	16308	4.11%	0.573%
14	10.674	10.579	10.713	PV	122	6410	1.61%	0.225%
15	10.727	10.713	10.828	VB	109	4220	1.06%	0.148%
16	10.961	10.833	11.106	BV	8738	396939	100.00%	13.939%
17	11.781	11.718	11.974	PB	135	11600	2.92%	0.407%
18	13.108	12.996	13.227	PV	96	8196	2.06%	0.288%
19	13.410	13.264	13.472	VV	2544	113537	28.60%	3.987%
20	13.543	13.472	13.709	VV	5122	227569	57.33%	7.991%
21	13.895	13.800	14.038	VV	216	13083	3.30%	0.459%
22	14.275	14.038	14.381	PV	6032	278796	70.24%	9.790%
23	14.482	14.381	14.645	VV	384	39901	10.05%	1.401%
24	14.777	14.710	14.873	VV	204	11079	2.79%	0.389%
25	15.052	14.923	15.135	PV	157	8156	2.05%	0.286%
26	15.195	15.135	15.214	PV	117	3632	0.92%	0.128%
27	15.228	15.214	15.302	VV	111	3080	0.78%	0.108%
28	15.423	15.302	15.476	PV	397	20689	5.21%	0.726%
29	15.532	15.476	15.608	VV	298	18254	4.60%	0.641%
30	15.649	15.608	15.733	VV	183	9519	2.40%	0.334%
31	15.861	15.733	15.945	VV	619	34031	8.57%	1.195%
32	15.969	15.945	16.003	VV	131	3714	0.94%	0.130%
33	16.042	16.003	16.088	VV	142	4424	1.11%	0.155%
34	16.165	16.088	16.233	PV	175	6700	1.69%	0.235%
35	16.309	16.233	16.376	VV	179	7562	1.91%	0.266%
36	16.439	16.376	16.458	PV	66	2187	0.55%	0.077%

					rteres.txt			
37	16.557	16.458	16.700	PV	5759	244094	61.49%	8.571%
38	16.723	16.700	16.737	VV	54	700	0.18%	0.025%
					Sum of corrected areas:		2847767	

FB101218.M Mon Oct 29 05:03:10 2018