

Instrument :

FID_B

ClientSampleId :

EX-1-TPH-1

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB10292
Data File : FB031058.D
Signal(s) : FID2B.CH
Acq On : 29 Oct 2024 12:13
Sample : P4599-01
Misc : 7.26G/5.00 ML DI WATER
ALS Vial : 5 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/30/2024

Supervised By :Ankita Jodhani 10/30/2024

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.728	4.504	4.902	BV	100372	8876031	5.10%	0.416%
2	5.999	5.527	6.219	PV	188100	19783739	11.36%	0.928%
3	6.344	6.219	6.523	VV	10915	1164084	0.67%	0.055%
4	7.102	6.897	7.276	VV	414693	39858821	22.88%	1.870%
5	7.478	7.276	8.018	VV	1358411	174182766	100.00%	8.172%
6	8.078	8.018	8.136	VV	4178	181267	0.10%	0.009%
7	8.263	8.136	8.362	PV	64711	4551759	2.61%	0.214%
8	8.592	8.362	8.734	VV	494513	62443689	35.85%	2.930%
9	8.874	8.734	9.006	VV	476508	49263352	28.28%	2.311%
10	9.223	9.006	9.312	VV	997933	101513633	58.28%	4.763%
11	9.426	9.312	9.612	VV	1333327	138876908	79.73%	6.516%
12	9.785	9.612	10.008	VV	710167	77427662	44.45%	3.633%
13	10.230	10.008	10.391	VV	458922	42968591	24.67%	2.016%
14	10.524	10.391	10.636	VV	254187	25895587	14.87%	1.215%
15	10.823	10.636	10.907	VV	446939	46063122	26.45%	2.161%
16	11.002	10.907	11.116	VV	446941	43365676	24.90%	2.035%
17	11.201	11.116	11.421	VV	376219	40649333	23.34%	1.907%
18	11.785	11.421	12.000	VV	1100573	154846268	88.90%	7.265%
19	12.125	12.000	12.268	VV	613854	56017897	32.16%	2.628%
20	12.373	12.268	12.507	VV	397428	31210666	17.92%	1.464%
21	12.583	12.507	12.633	VV	58083	3562425	2.05%	0.167%
22	12.797	12.633	12.930	VV	590855	57445770	32.98%	2.695%
23	13.055	12.930	13.261	VV	931565	104177972	59.81%	4.888%
24	13.382	13.261	13.469	VV	541990	49155395	28.22%	2.306%
25	13.584	13.469	13.708	VV	1435878	112613656	64.65%	5.283%
26	13.854	13.708	14.023	VV	1025347	108915938	62.53%	5.110%
27	14.154	14.023	14.362	VV	1687785	169810191	97.49%	7.967%
28	14.454	14.362	14.529	VV	400457	31333823	17.99%	1.470%
29	14.588	14.529	14.670	VV	344564	25042233	14.38%	1.175%
30	14.742	14.670	14.771	VV	298504	16302166	9.36%	0.765%
31	14.876	14.771	15.007	VV	850586	73572670	42.24%	3.452%
32	15.197	15.007	15.430	VV	767607	135390875	77.73%	6.352%
33	15.567	15.430	15.745	VV	346007	50344184	28.90%	2.362%
34	15.818	15.745	15.895	VV	247862	16230229	9.32%	0.761%
35	15.973	15.895	16.018	VV	227873	13571563	7.79%	0.637%
36	16.056	16.018	16.157	VV	217575	14755097	8.47%	0.692%

rters
37 16.236 16.157 16.345 VV 164785 16305936 9.36% 0.765%
38 16.415 16.345 16.501 VBA 207033 13767768 7.76% 0.765%
Sum of corrected areas: 21314

FB102824.M Wed Oct 30 06:06:39 2024

Instrument :
FID_B
ClientSampleId :
EX-1-TPH-1

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024