

Instrument :

FID_B

ClientSampleId :

EX-1-TPH-4

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB10292
Data File : FB031061.D
Signal(s) : FID2B.CH
Acq On : 29 Oct 2024 13:33
Sample : P4599-04
Misc : 7.71G/5.00 ML DI WATER
ALS Vial : 8 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/30/2024

Supervised By :Ankita Jodhani 10/30/2024

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M

Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.750	4.504	4.918	PH	1470904	130886546	8.63%	1.780%
2	6.038	5.564	6.264	PV	3445751	377013616	24.84%	5.127%
3	6.324	6.264	6.540	VV	152421	15167696	1.00%	0.206%
4	7.158	6.932	7.337	VV	6000316	623410854	41.08%	8.478%
5	7.563	7.337	8.047	VV	11285411	1517484661	100.00%	20.638%
6	8.096	8.047	8.166	VV	161833	10156516	0.67%	0.138%
7	8.284	8.166	8.396	VV	410684	37925640	2.50%	0.516%
8	8.643	8.396	8.783	VV	2548459	345855793	22.79%	4.704%
9	8.925	8.783	9.059	VV	3513680	376353057	24.80%	5.118%
10	9.297	9.059	9.383	VV	4564791	541511230	35.68%	7.364%
11	9.501	9.383	9.660	VV	7379967	693707936	45.71%	9.434%
12	9.840	9.660	10.035	VV	2643527	314072508	20.70%	4.271%
13	10.281	10.035	10.408	VV	1766547	178602763	11.77%	2.429%
14	10.556	10.408	10.681	VV	1026788	120936256	7.97%	1.645%
15	10.860	10.681	10.953	VV	1341676	151581955	9.99%	2.061%
16	11.051	10.953	11.159	VV	1528602	140321014	9.25%	1.908%
17	11.255	11.159	11.517	VV	1183416	148477735	9.78%	2.019%
18	11.828	11.517	12.041	VV	2669960	390740239	25.75%	5.314%
19	12.165	12.041	12.303	VV	1419106	132879782	8.76%	1.807%
20	12.410	12.303	12.538	VV	820575	72003798	4.74%	0.979%
21	12.609	12.538	12.667	VV	212531	14753257	0.97%	0.201%
22	12.831	12.667	12.963	VV	1058658	111769425	7.37%	1.520%
23	13.084	12.963	13.286	VV	1551355	168897870	11.13%	2.297%
24	13.403	13.286	13.493	VV	747598	69291165	4.57%	0.942%
25	13.607	13.493	13.733	VV	1626819	133260560	8.78%	1.812%
26	13.870	13.733	14.042	VV	986074	110848030	7.30%	1.508%
27	14.165	14.042	14.387	VV	1697980	163763574	10.79%	2.227%
28	14.572	14.387	14.680	VV	614702	62439903	4.11%	0.849%
29	14.743	14.680	14.784	VV	216964	12386782	0.82%	0.168%
30	14.886	14.784	15.034	VV	596452	54135720	3.57%	0.736%
31	15.255	15.034	15.437	VV	946181	96702400	6.37%	1.315%
32	15.548	15.437	15.744	VV	148500	19301527	1.27%	0.262%
33	15.816	15.744	15.898	VV	77783	4498026	0.30%	0.061%
34	15.975	15.898	16.002	VV	54185	2520141	0.17%	0.034%
35	16.060	16.002	16.161	VV	70221	4580380	0.30%	0.062%
36	16.228	16.161	16.334	VV	32254	2422775	0.16%	0.033%

37 16.408 16.334 16.507 VBA 46093 2367141
rteres
Sum of corrected areas: 73536

FB102824.M Wed Oct 30 06:08:04 2024

Instrument :
FID_B

ClientSampleId :
EX-1-TPH-4

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/30/2024

Supervised By :Ankita Jodhani 10/30/2024