

Instrument :

FID_B

ClientSampleId :

EX-1-TPH-5

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB10292
Data File : FB031064.D
Signal(s) : FID2B.CH
Acq On : 29 Oct 2024 15:46
Sample : P4599-05
Misc : 6.95G/5.00 ML DI WATER
ALS Vial : 13 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.730	4.504	4.905	BV	656457	58292829	13.79%	1.918%
2	6.007	5.534	6.215	PV	889590	91843113	21.73%	3.023%
3	6.321	6.215	6.526	VV	48848	5659247	1.34%	0.186%
4	7.115	6.910	7.295	VV	1562282	150433210	35.59%	4.951%
5	7.494	7.295	8.013	VV	3351169	422735938	100.00%	13.912%
6	8.086	8.013	8.150	VV	27438	1511084	0.36%	0.050%
7	8.266	8.150	8.376	VV	155596	11089415	2.62%	0.365%
8	8.604	8.376	8.740	VV	834689	103045787	24.38%	3.391%
9	8.881	8.740	9.014	VV	834400	86865522	20.55%	2.859%
10	9.235	9.014	9.325	VV	1676362	171625577	40.60%	5.648%
11	9.443	9.325	9.620	VV	2439602	240375328	56.86%	7.911%
12	9.799	9.620	10.010	VV	1146501	122428333	28.96%	4.029%
13	10.239	10.010	10.390	VV	644992	60978376	14.42%	2.007%
14	10.530	10.390	10.644	VV	390443	40237602	9.52%	1.324%
15	10.830	10.644	10.918	VV	654470	69542582	16.45%	2.289%
16	11.012	10.918	11.122	VV	651382	59968261	14.19%	1.974%
17	11.215	11.122	11.435	VV	583899	64843756	15.34%	2.134%
18	11.793	11.435	12.010	VV	1456668	213167241	50.43%	7.015%
19	12.137	12.010	12.278	VV	920805	84598379	20.01%	2.784%
20	12.384	12.278	12.518	VV	586870	47762263	11.30%	1.572%
21	12.586	12.518	12.641	VV	94237	6060462	1.43%	0.199%
22	12.802	12.641	12.940	VV	740659	72610088	17.18%	2.390%
23	13.064	12.940	13.269	VV	994271	114562058	27.10%	3.770%
24	13.386	13.269	13.477	VV	596064	55045562	13.02%	1.812%
25	13.591	13.477	13.713	VV	1376881	108856174	25.75%	3.582%
26	13.858	13.713	14.027	VV	921088	99145994	23.45%	3.263%
27	14.162	14.027	14.366	VV	1573263	160804818	38.04%	5.292%
28	14.458	14.366	14.516	VV	363170	26062402	6.17%	0.858%
29	14.578	14.516	14.678	VV	380166	29407846	6.96%	0.968%
30	14.743	14.678	14.778	VV	243989	13252435	3.13%	0.436%
31	14.879	14.778	15.010	VV	665614	58140732	13.75%	1.913%
32	15.235	15.010	15.430	VV	621885	106865676	25.28%	3.517%
33	15.540	15.430	15.746	VV	254594	35952568	8.50%	1.183%
34	15.819	15.746	15.896	VV	160445	9872483	2.34%	0.325%
35	15.975	15.896	16.020	VV	153040	8787643	2.08%	0.289%
36	16.056	16.020	16.159	VV	143421	9144621	2.16%	0.301%

37 16.235 16.159 16.341 VV 97939 8835308 2.09% 0.291%
38 16.414 16.341 16.501 VBA 129905 8148708
Sum of corrected areas: 30385

FB102824.M Wed Oct 30 06:08:29 2024

Instrument :
FID_B
ClientSampleId :
EX-1-TPH-5

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024