

Instrument :

FID_B

ClientSampleId :

EX-1-TPH-8

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB10292
Data File : FB031067.D
Signal(s) : FID2B.CH
Acq On : 29 Oct 2024 17:05
Sample : P4599-08
Misc : 6.97G/5.00 ML DI WATER
ALS Vial : 16 Sample Multiplier: 1

Reviewed By :Yogesh Patel 10/30/2024

Supervised By :Ankita Jodhani 10/30/2024

Integration File: SAMPLE.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB102824.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.749	4.470	4.931	BV	3133322	280113277	100.00%	8.853%
2	5.328	5.283	5.515	VV	63493	4600610	1.64%	0.145%
3	5.746	5.515	5.826	PV	229134	17384581	6.21%	0.549%
4	5.849	5.826	5.899	VV	157772	6772720	2.42%	0.214%
5	6.063	5.899	6.245	VV	331181	38453958	13.73%	1.215%
6	6.928	6.561	6.977	VV	212475	21241356	7.58%	0.671%
7	7.141	6.977	7.322	VV	820324	94414703	33.71%	2.984%
8	7.494	7.322	7.620	VV	968719	103191371	36.84%	3.261%
9	7.787	7.620	7.992	VV	620986	104192367	37.20%	3.293%
10	8.086	7.992	8.165	VV	258454	17852040	6.37%	0.564%
11	8.269	8.165	8.401	VV	503330	37513266	13.39%	1.186%
12	8.618	8.401	8.739	VV	580741	64735770	23.11%	2.046%
13	8.896	8.739	9.037	VV	1477757	140846827	50.28%	4.451%
14	9.242	9.037	9.328	VV	1054795	120727563	43.10%	3.816%
15	9.450	9.328	9.621	VV	1594490	171383607	61.18%	5.417%
16	9.803	9.621	10.030	VV	953585	109728940	39.17%	3.468%
17	10.260	10.030	10.415	VV	780581	82350343	29.40%	2.603%
18	10.541	10.415	10.660	VV	443617	45495336	16.24%	1.438%
19	10.839	10.660	10.923	VV	727375	74367030	26.55%	2.350%
20	11.019	10.923	11.137	VV	762760	74859484	26.72%	2.366%
21	11.221	11.137	11.438	VV	516834	58953281	21.05%	1.863%
22	11.802	11.438	12.016	VV	1916931	259549526	92.66%	8.203%
23	12.140	12.016	12.287	VV	908632	86680366	30.94%	2.740%
24	12.391	12.287	12.530	VV	525529	45236851	16.15%	1.430%
25	12.601	12.530	12.651	VV	94208	6045448	2.16%	0.191%
26	12.825	12.651	12.948	VV	797969	81815101	29.21%	2.586%
27	13.074	12.948	13.277	VV	1396080	146431610	52.28%	4.628%
28	13.394	13.277	13.480	VV	592621	53890249	19.24%	1.703%
29	13.599	13.480	13.730	VV	1610762	131808672	47.06%	4.166%
30	13.865	13.730	14.038	VV	977176	106736940	38.10%	3.373%
31	14.162	14.038	14.385	VV	1929589	182827008	65.27%	5.778%
32	14.569	14.385	14.682	VV	980807	81574803	29.12%	2.578%
33	14.745	14.682	14.778	VV	220317	11738075	4.19%	0.371%
34	14.884	14.778	15.029	VV	661695	59647331	21.29%	1.885%
35	15.264	15.029	15.438	VV	2715705	194502594	69.44%	6.147%
36	15.543	15.438	15.748	VV	199332	25085262	8.96%	0.793%

					rters	
37	15.817	15.748	15.894	VV	94420	4981036
38	15.974	15.894	16.016	VV	88854	4400882
39	16.057	16.016	16.159	VV	86293	4761063
40	16.232	16.159	16.326	VV	34739	2415374
41	16.410	16.326	16.507	VBA	94981	4753062
Sum of corrected areas:					31640	

Instrument :
FID_B
ClientSampleId :
EX-1-TPH-8
1.78% 0.157%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 10/30/2024
Supervised By :Ankita Jodhani 10/30/2024

FB102824.M Wed Oct 30 06:12:00 2024