

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB103118\
 Data File : FB018396.D
 Signal(s) : FID2B.CH
 Acq On : 31 Oct 2018 18:06
 Sample : J5202-15
 Misc : 5.02g/5.00mL DI Water
 ALS Vial : 19 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.966	4.903	5.006	PV	112	3900	2.35%	0.960%
2	5.189	5.082	5.198	PV	529	22455	13.53%	5.526%
3	5.203	5.198	5.214	VV	506	4697	2.83%	1.156%
4	5.222	5.214	5.427	VV	481	29100	17.53%	7.161%
5	5.656	5.486	5.773	PV	477	34497	20.79%	8.489%
6	7.062	6.963	7.069	VV	391	13810	8.32%	3.398%
7	7.106	7.069	7.279	VV	479	35728	21.53%	8.792%
8	7.466	7.401	7.512	BV	85	610	0.37%	0.150%
9	8.219	8.156	8.251	PV	108	3393	2.04%	0.835%
10	9.115	8.979	9.248	VV	2980	165964	100.00%	40.841%
11	9.471	9.381	9.498	PV	73	1629	0.98%	0.401%
12	9.677	9.575	9.685	BV	109	2162	1.30%	0.532%
13	9.739	9.685	9.834	VV	174	9315	5.61%	2.292%
14	10.105	10.046	10.148	VV	128	4080	2.46%	1.004%
15	10.211	10.181	10.218	VV	138	2382	1.44%	0.586%
16	10.241	10.218	10.251	VV	188	3082	1.86%	0.758%
17	10.267	10.251	10.345	VV	176	5903	3.56%	1.453%
18	10.706	10.579	10.734	PV	219	12499	7.53%	3.076%
19	10.754	10.734	10.878	VV	234	9231	5.56%	2.271%
20	11.799	11.690	11.807	VV	181	8207	4.95%	2.020%
21	11.821	11.807	11.905	VV	200	6797	4.10%	1.673%
22	14.384	14.254	14.393	PV	161	6497	3.91%	1.599%
23	14.470	14.393	14.479	VV	282	11845	7.14%	2.915%
24	14.487	14.479	14.593	VV	266	8586	5.17%	2.113%
Sum of corrected areas:							406369	

FB101218.M Thu Nov 01 05:56:51 2018