

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110122\
Data File : FB028814.D
Signal(s) : FID2B.CH
Acq On : 1 Nov 2022 13:47
Sample : 20 PPB GRO STD
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB110122.M
Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.715	4.553	4.865	PV	6199	476698	79.93%	13.518%
2	7.427	7.252	7.633	VV	6233	522049	87.54%	14.804%
3	7.756	7.633	7.824	VV	3204	172994	29.01%	4.906%
4	7.893	7.824	8.014	VV	3895	199602	33.47%	5.660%
5	8.798	8.629	8.949	PV	5182	285235	47.83%	8.089%
6	10.626	10.511	10.794	VV	13136	596379	100.00%	16.912%
7	13.062	12.950	13.123	PV	4317	187519	31.44%	5.318%
8	13.194	13.123	13.358	VV	8479	372958	62.54%	10.576%
9	13.921	13.797	14.023	BV	8108	358823	60.17%	10.175%
10	16.196	16.088	16.319	PV	8470	354082	59.37%	10.041%

Sum of corrected areas: 3526339

FB110122.M Wed Nov 02 08:32:25 2022