

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_B\Data\FB110218\
 Data File : FB018475.D
 Signal(s) : FID2B.CH
 Acq On : 3 Nov 2018 00:42
 Sample : J5794-05
 Misc : 5.00g/5.00mL DI Water
 ALS Vial : 28 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_B\Method\FB101218.M
 Title :

Signal : FID2B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	5.154	5.074	5.165	PV	576	14806	10.70%	2.031%
2	5.174	5.165	5.217	VV	536	14600	10.55%	2.003%
3	5.225	5.217	5.362	VV	406	17329	12.52%	2.377%
4	5.645	5.514	5.765	VV	675	44650	32.27%	6.125%
5	6.594	6.513	6.647	PV	95	3593	2.60%	0.493%
6	7.100	6.956	7.270	VV	696	69764	50.42%	9.571%
7	8.223	8.114	8.306	VV	150	6399	4.62%	0.878%
8	9.113	8.991	9.266	BV	2474	138378	100.00%	18.983%
9	9.728	9.633	9.781	BV	133	7151	5.17%	0.981%
10	10.244	10.139	10.322	PV	172	9146	6.61%	1.255%
11	10.663	10.571	10.713	BV	141	7889	5.70%	1.082%
12	10.964	10.900	11.084	PV	189	9426	6.81%	1.293%
13	11.816	11.727	11.955	VV	208	14709	10.63%	2.018%
14	12.233	12.127	12.324	VV	192	14302	10.34%	1.962%
15	12.436	12.361	12.500	VV	111	4456	3.22%	0.611%
16	13.114	13.005	13.229	PV	618	30331	21.92%	4.161%
17	13.340	13.309	13.348	VV	85	1338	0.97%	0.184%
18	13.392	13.348	13.421	VV	171	5716	4.13%	0.784%
19	13.430	13.421	13.461	VV	135	2362	1.71%	0.324%
20	13.545	13.461	13.628	VV	493	20206	14.60%	2.772%
21	13.888	13.811	13.991	VV	168	9597	6.94%	1.317%
22	14.279	14.216	14.365	VV	385	21439	15.49%	2.941%
23	14.471	14.365	14.478	VV	509	22866	16.52%	3.137%
24	14.486	14.478	14.524	VV	531	13177	9.52%	1.808%
25	14.532	14.524	14.540	VV	463	4464	3.23%	0.612%
26	14.552	14.540	14.679	VV	458	19248	13.91%	2.640%
27	14.785	14.679	14.839	PV	236	9987	7.22%	1.370%
28	15.219	15.138	15.238	PV	119	3421	2.47%	0.469%
29	15.422	15.293	15.521	PV	1241	60366	43.62%	8.281%
30	15.575	15.521	15.584	VV	203	6299	4.55%	0.864%
31	15.592	15.584	15.653	VV	217	6618	4.78%	0.908%
32	15.667	15.653	15.701	VV	153	3630	2.62%	0.498%
33	15.773	15.701	15.815	VV	539	26028	18.81%	3.571%
34	15.869	15.815	15.967	VV	676	31920	23.07%	4.379%
35	16.320	16.241	16.389	BV	202	8686	6.28%	1.192%
36	16.559	16.455	16.661	PV	1071	44652	32.27%	6.125%

rteres.txt
Sum of corrected areas: 728948

FB101218.M Sat Nov 03 02:15:34 2018